

Snap-on® ***Tools***

POWER TOOLS

18 & 14.4V BATTERY TOOLING

European Versions

Kampanjen gäller t.o.m. 2023-05-31
med reservation för ev. slutförsäljning.
Alla priser exkl. moms.

HIGH DEFINITION!

VIDEOSCOPES



BK7000

HIGH DEFINITION BORESCOPE WITH 5.5 MM DUAL IMAGER

- Large 5" high-resolution screen provides best-in-class viewing
- Capacitive touchscreen interface
- True high definition (1,280 x 720) 5.5 mm dual-view imager for capturing finer details
- Interchangeable accessory imagers (not included)
- Powerful quadcore processor powers high resolution video
- Wi-Fi connectivity provides seamless software updates
- Quick USB-C charging for less downtime

16500:-



BK7000-38FV

HIGH DEFINITION FORWARD VIEW IMAGER (3.8 MM DIAMETER)

- 3.8 mm diameter forward facing imager
- Designed specifically for inspections through a diesel glow plug port
- Illumination pattern and high definition resolution provide optimal image quality
- Ideal for inspecting the cylinder walls, combustion cup and piston face
- Works with the BK7000 High Definition Borescope



5600:-

BK7000-38SV

HIGH DEFINITION SIDE VIEW IMAGER (3.8 MM DIAMETER)

- 3.8 mm diameter side facing imager
- Designed specifically for inspections through a diesel glow plug port
- Illumination pattern and high definition resolution provide optimal image quality
- Permanently affixed mirror makes this imager ideal for inspecting the cylinder walls, valve profile and valve seat
- Works with the BK7000 High Definition Borescope



6200:-

BK5600DUAL55

TRUE DIGITAL VIDEO INSPECTION SCOPE

- Includes the BK8000-55 36" digital imager with 5.5 mm diameter dual-view head
- Same as the BK5600 with a 5.5 mm imager
- Digital still image capture with included SD card storage
- Touchscreen interface enables easy feature selection

5500:-



BK3000-55

VIDEO INSPECTION SCOPE

- Small, rugged housing designed for comfort and functionality, with a vibrant 2.5" LCD screen
- Integrated 5.5 mm high-resolution imager is easy to use and ensures that the product is always ready to go
- Onboard storage for up to 30 images
- Simple and user-friendly five-button interface
- Adaptable functionality through three-step zoom, adjustable brightness and 180° image rotation
- Imager is resistant to dust, dirt and water ingress for 30 minutes at depths of up to 3 meters
- Powered by AA batteries



3200:-

18v BATTERY TOOLING

8900:-



18 V 3/4" Drive MonsterLithium Cordless Impact Wrench Kit CT9100U2

- 1,300 ft-lb (1,763 N•m) of bolt breakaway torque
- Three torque setting adapt to various applications
- Cerakote premium nose resists abrasion
- Super bright LED light output
- Variable speed trigger for precise control
- Brushless motor for longer runtime and durability
- kit includes 1 x CT9100DB (tool only) + 2 x CTB8187 (battery) + 1 x CTCEU131A (charger).

Length (inches / mm)	10.3 (261)
Height (inches / mm)	8.4 (213)
Torque Output (ft-lb / N •m)	1,000 (1,355)
Battery	Lithium 5.0 Ah



CT9100DB 5500:-

18 V 1/2" Drive MonsterLithium Cordless Impact Wrench Kit

CTU9080

Length (inches / mm)	9.6 (244)
Height (inches / mm)	9.5 (241)
Torque Output (ft-lb / N •m)	1,050 (1,423)
Free Speed (RPM)	1,570
Battery	Lithium 5.0 Ah

- 1,440 ft-lb (1,952 N•m) of bolt breakaway output
- Three torque settings adapt to various applications
- Cerakote premium nose resists abrasion
- Super bright LED light output
- Variable speed trigger for precise control
- kit includes 1 x CT9080DB (tool only) + 2 x CTB8187 (battery) + 1 x CTCEU131A (charger)



9700:-

CT9080DB 5900:-



18 V 1/2" Drive MonsterLithium Cordless Impact Wrench CT9050DB

- 1,120 ft-lb (1,519 N•m) of bolt breakaway torque
- Three torque settings adapt to various applications
- Cerakote premium nose resists abrasion
- Brushless motor for longer runtime and durability
- Super bright LED light output
- Variable speed trigger for precise control
- Tool Only.

Length (inches / mm)	8.2 (208)
Height (inches / mm)	8.4 (213)
Torque Output (ft-lb / N •m)	800 (1,085)
Free Speed (RPM)	1,570
Battery	Lithium 5.0 Ah



5500:-

18 V 1/2" Drive MonsterLithium Cordless Impact Wrench

CT9015DB



Length (inches / mm)	6.7 (170)
Height (inches / mm)	8 (203)
Torque Output (ft-lb / N •m)	240 (325)
Free Speed (RPM)	1,760
Battery	Lithium 5.0 Ah

- Digital microprocessor-controlled switch maximizes performance, run time and durability
- Three torque settings in forward and three in reverse to adapt to various applications
- Built-in brake prevents tool from throwing fasteners and sockets
- Brushless motor for longer runtime and durability
- Super-bright LED illuminates work area
- Tool Only.



4000:-

18 V 3/8" Drive MonsterLithium Cordless Impact Wrench Kit

CTU9010



- 325 ft-lb (441 N•m) of bolt breakaway torque
- Three torque settings adapt to various applications
- Cerakote premium nose resists abrasion
- Brushless motor for longer runtime and durability
- Super bright LED light output
- Variable speed trigger for precise control
- kit includes 1 x CT9010DB (tool only) + 2 x CTB8187 (battery) + 1 x CTCEU131A (charger).

Length (inches / mm)	6.7 (170)
Height (inches / mm)	8 (203)
Torque Output (ft-lb / N •m)	240 (325)
Free Speed (RPM)	1,760
Battery	Lithium 5.0 Ah



6900:-

CT9010DB 3200:-

18 V 3/8" Drive MonsterLithium Cordless Impact Wrench Kit

CT9010W1



- 325 ft-lb (441 N•m) of bolt breakaway torque
- Three torque settings adapt to various applications
- Cerakote premium nose resists abrasion
- Brushless motor for longer runtime and durability
- Super bright LED light output
- Variable speed trigger for precise control
- kit includes 1 x CT9010DB (tool only) + 1 x CTB8187 (battery)

Length (inches / mm)	6.7 (170)
Height (inches / mm)	8 (203)
Torque Output (ft-lb / N •m)	240 (325)
Free Speed (RPM)	1,760
Battery	Lithium 5.0 Ah



4850:-

18 V MonsterLithium Cordless Angle Grinder/ Cut-Off Tool

CTGR8850DB

CTGR-CW50 (Replacement Cut-Off Wheel) :

PT450-WH (4.5") (Replacement Grinding Wheel):



4280:-

- 8,000 RPM handles most grinding jobs with ease
- Ultra-slim head allows user to access areas other grinders cannot
- Battery rotates 270° for improved access
- Accepts 4-1/2" or 5" wheels for more options to quickly get the job done
- Anti-vibration handle—allows user to work longer and more comfortably
- Replaceable motor screen—keeps debris out of the motor so tool lasts longer
- Seven-position safety guard—lets user tackle most jobs with less effort
- Tool-free guard removal—simply pull one guard off and slide the other one on
- Tool Only



9500:-

18 V MonsterLithium Brushless Cordless Rivet Gun

CTRG9050DB

- Brushless motor means superior durability, longer tool life and maximum run time
- LED light illuminates the work area
- Field replaceable long life jaws
- On board nose piece storage
- Produces over 6,000 rivets on a battery charge to get the work done
- Operates with 1/8, 5/32, 3/16 and 1/4" rivets
- Tool Only

Height (inches / mm)	8.8 (225)
Pull Force, lb (kg)	4,400 (1,996)
Battery	Lithium 5.0 Ah



18 V MonsterLithium Cordless Caulk Gun Kit

CTCG8850DB

- High feed force to easily dispense material, even when cold
- Dispense rates from 2-18 inch/minute allows user to fine tune material dispensing
- Piston retracts automatically when trigger is released to stop material from dispensing—saves time and material
- Dispenses up to 400 tubes of caulk on a single charge
- Light weight for easy maneuverability
- Very low noise level and vibration reduces user fatigue
- Easily changes from one tube style to another to get the job done quickly
- Tool Only



3700:-

18 V MonsterLithium Cordless Grease Gun

CGG8850DB

- Two-speed, high-torque 18 V DC motor delivers outstanding flow and pressure
- 36" high-pressure hose with spring guard and coupler
- Accessible check valve and combination air bleeder/filler valve
- Dual motor protection includes self-resetting thermo-coupler
- Machined and hardened piston with plated steel barrel and premium grease follower
- Ergonomically designed to reduce fatigue and increase productivity
- Works well in cold environments
- Tool Only



2980:-



2980:-



18 V MonsterLithium Cordless Reciprocating Saw

CTRS8850DB

- 2,400 strokes per minute
- 75 A rated, heavy-duty variable-speed trigger provides long life and is contoured to reduce user fatigue
- Heavy-duty 14-gauge internal wiring withstands high current loads during heavy sawing
- Spring-loaded blade retention system requires no tools and ejects broken blades easily
- Nonslip cushion grip nose reduces vibration and provides positive tool control
- Heavy-duty armature and balanced motor design for smooth operation
- Turbine-style cooling system reduces heat buildup, extending tool life
- Sealed nose mechanism prevents dirt and sawing debris from damaging internal components
- Tool Only

18 V 1/2" MonsterLithium Cordless Hammer Drill Kit

CDR9050U2



8995:-



- 470 in-lb (53 N•m) of torque output
- Two-speed gear box (420/2,000) RPM
- Keyless 1/2" single sleeve metal chuck
- Drill, hammer, screw mode with 23 clutch settings
- Brushless motor for longer run time and durability
- Variable speed trigger for precise tool control
- Super bright 100 lm LED light output
- kit includes 1 x CDR9050DB + 1 x CTB8187 (battery) + 1 CTCEU131A

- 470 in-lb (53 N•m) of torque output
- Two-speed gear box (420/2,000) RPM
- Keyless 1/2" metal single sleeve keyless chuck
- Drill mode plus 18 clutch settings adjust for your particular application
- Brushless motor for longer run time and durability
- Variable speed trigger for precise tool control
- Super bright 100 lm LED light output
- kit includes 1 x CDR9015DB + 1 x CTB8187 (battery) + 1 CTCEU131A



18 V 1/2" MonsterLithium Cordless Hammer Drill Kit

CDR9015U2



8995:-

14.4v BATTERY TOOLING

14.4 V MicroLithium Cordless Reciprocating Saw Kit

CTRS761AU2

Length (inches / mm)	12 (304)
Stroke Length (inches / mm)	1/2 (13)
Strokes Per Minute	3,100
Battery	MicroLithium 2.5 Ah



- Small and lightweight; ideal for use in confined areas
- Dual chuck mechanism (quick chuck)
- Tool-free adjustment of the depth guide
- Variable-speed switch
- Integrated LED work light
- LED gauge indicates battery charge state
- Six-position adjustable footplate
- Quick, one-handed blade release
- Housing screen keeps debris out of the motor
- Lock-off switch is located above the trigger
- Variable-speed trigger
- kit includes 1 x CTRS761ADB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)



4550:-

CTRS761ADB 2550:-

14.4 V 1/4" Hex MicroLithium Cordless Screwdriver Kit

CTS825U2



- Twin-beam headlights
- Built-in brake
- Nine-position clutch to dial in the proper torque
- Glass-filled nylon housing for durability
- Cushion grip handle provides positive tool control with less fatigue
- Overcurrent protection protects the electronics
- Built-in gauge displays the battery charge state
- Screened motor keeps away debris
- kit includes 1 x CTS825DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)

Length (inches / mm)	5-2/5 (137)
Width (inches / mm)	1-9/10 (48)
Height (inches / mm)	7.7 (195)
Torque Output (in-lb / N •m)	200 (22.6)
Free Speed (RPM)	450/1,500
Battery	MicroLithium 2.5 Ah

CTS825DB 2475:-



4995:-

14.4 V 1/4" Hex MicroLithium Cordless Toggle Screwdriver Kit

CTS861U2

Length (inches / mm)	6.8 (173)
Width (inches / mm)	2 (51)
Height (inches / mm)	8.0 (203)
Torque Output (ft-lb / N •m)	150 (203)
Bolt Breakaway Torque, ft-lb (N•m)	225 (305)
Blows Per Minute, BPM	3,000
Free Speed (RPM)	2,500
Battery	MicroLithium 2.5 Ah

- Tri-beam LED headlight
- Variable-speed trigger for precise tool control
- Glass filled nylon housing for durability
- Built in fuel gauge indicates battery state of charge
- kit includes 1 x CT861DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)



4600:-

CTS861DB 2640:-

14.4 V 3/8" Drive MicroLithium Cordless Impact Wrench Kit

CT861U2

Length (inches / mm)	6.8 (173)
Width (inches / mm)	2 (51)
Height (inches / mm)	8.0 (203)
Torque Output (ft-lb / N •m)	150 (203)
Bolt Breakaway Torque, ft-lb (N•m)	225 (305)
Blows Per Minute, BPM	3,000
Free Speed (RPM)	2,500
Battery	MicroLithium 2.5 Ah

- Tri-beam LED headlight
- Variable-speed trigger for precise tool control
- Glass filled nylon housing for durability
- Built in fuel gauge indicates battery state of charge
- kit includes 1 x CT861DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)



5590:-



CT816DB 3150:-

14.4 V MicroLithium Brushless Cordless Polish/Prep Tool

CTPP861DB



- Two-speed gearbox—3,500/15,000 RPM
- Digital variable-speed trigger for precise tool control
- Push-button spindle lock for ease of use with accessories
- 5/16"-24 UNF threads
- Cushion grip handle provides positive tool control
- Built-in gauge indicates battery charge state
- 2.5 Ah battery for extra long runtime between charges
- Tool only. Batteries and charger not included

Length (inches / mm)	5.75 (146)
Height (inches / mm)	7-4/5 (198)
Free Speed, RPM, Low (High)	0-3,500 (0-15,000)
Battery	MicroLithium 2.5 Ah



2500:-

14.4 V 3/8" Drive MicroLithium Cordless Drill Kit

CDR861U2

Length (inches / mm)	7.7 (198)
Width (inches / mm)	2 (50)
Height (inches / mm)	7.8 (198)
Torque Output (in-lb / N •m)	200 (22.6)
Free Speed, RPM, Low (High)	0-450 (0-1,550)
Battery	MicroLithium 2.5 Ah

- Two-speed gearbox
- Keyless 3/8" single sleeve steel chuck
- Nine position clutch to adjust for the application
- Brushless motor for longer runtime
- Variable speed trigger for precise tool control
- Built in fuel gauge indicates battery state of charge
- kit includes 1 x CDR861DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)



4530:-



CDR861DB 2500:-



14.4 V 3/8" Drive MicroLithium Cordless Right Angle Screw Gun/ Drill Kit

CDRR761U2

4150:-



- Variable-speed switch
- Nine-position clutch delivers 8–50 in-lb of torque
- Lightweight drill
- 3/8" keyless single-sleeve durable steel chuck makes changing bits easy
- Cushion grip handle provides comfortable non-slip control for less fatigue over time
- Small size to get into tight spots—under dash, firewall, etc.
- Built-in gauge displays the battery charge state
- Integrated LED light
- kit includes 1 x CDRR761DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)

Length (inches / mm)	7-1/2 (191)
Width (inches / mm)	2 (50)
Height (inches / mm)	7-4/5 (198)
Torque Output (in-lb / N •m)	150 (16.9)
Free Speed, RPM, Low (High)	0–400 (0–1,400)
Battery	MicroLithium 2.0 Ah



CDRR761DB 2075:-

14.4 V MicroLithium Cordless Right Angle Mini Drill

CDRR2005W1

Length (inches / mm)	12 (305)
Width (inches / mm)	1.8 (46)
Height (inches / mm)	13.1 (333)
Torque Output (in-lb / N •m)	12 (1.355)
Free Speed, RPM	6,000
Battery Type	MicroLithium 2.5 Ah

3800:-

- Compact 90° head for greater access
- Low runout for precise drilling
- Accepts 1/4"-28 threaded bits and accessories
- Double ball bearing-supported spindle shaft for durability
- Spiral beveled gears for durability and smooth operation
- 90° angle for great access
- LED light illuminates work area
- Soft grip handle for positive tool control
- Battery fuel gauge indicates battery charge state
- Includes tool and (1) battery
- Tool only also available: (CDRR2005DB)



14.4 V MicroLithium Cordless 45° Angle Head Mini Drill

CDRR200545W1



- Compact head for greater access
- Low runout for precise drilling
- Accepts 1/4"-28 threaded bits and accessories
- Double ball bearing-supported spindle shaft for durability
- Spiral beveled gears for durability and smooth operation
- 45° angle for great access
- LED light illuminates work area
- Soft grip handle for positive tool control
- Battery fuel gauge indicates battery charge state
- Includes tool and (1) battery
- Tool only also available: (CDRR200545DB)

Length (inches / mm)	12 (305)
Width (inches / mm)	1.8 (46)
Height (inches / mm)	13.1 (333)
Torque Output (in-lb / N •m)	12 (1.355)
Free Speed, RPM	6,000
Battery Type	MicroLithium 2.5 Ah

4150:-



14.4 V MicroLithium Cordless 360° Angle Head Mini Drill

CDRR2005360W1

- Compact head for greater access
- Low runout for precise drilling
- Accepts 1/4"-28 threaded bits and accessories
- Double ball bearing-supported spindle shaft for durability
- Spiral beveled gears for durability and smooth operation
- 360° angle for great access
- LED light illuminates work area
- Soft grip handle for positive tool control
- Battery fuel gauge indicates battery charge state
- Includes tool and (1) battery
- Tool only also available: (CDRR2005360DB)

Length (inches / mm)	12 (305)
Width (inches / mm)	1.8 (46)
Height (inches / mm)	13.1 (333)
Torque Output (in-lb / N •m)	12 (1.355)
Free Speed, RPM	6,000
Battery Type	MicroLithium 2.5 Ah

6995:-

14.4 V 3/8" MicroLithium Cordless Inline Drill Kit

CDRS761U2

Length (inches / mm)	13-3/10 (338)
Width (inches / mm)	2 (50.8)
Height (inches / mm)	3-3/10 (84)
Torque Output (in-lb / N •m)	65 (7.3)
Free Speed (RPM)	0-1,350
Battery	MicroLithium 2.5 Ah

- Variable-speed switch
- Nine-position clutch
- Lightweight drill
- 3/8" keyless drill chuck—single-sleeve durable steel chuck makes changing bits easy
- Cushion grip handle provides comfortable non-slip control for less fatigue over time
- Small size to get in tight spots: under dash, firewall, etc.
- Built-in gauge displays the battery charge state
- kit includes 1 x CDRS761DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)



4200:-

CDRS761DB 2050:-

14.4 V 1/4" MicroLithium Cordless Right Angle Screwdriver Kit

CTSR761U2

- Ergonomic cushion grip
- Two-speed gearbox
- Variable-speed extended trigger
- Nine position clutch
- Built-in LED light
- Rapid 70-minute charge time
- Ideal for metals, plastic, aluminum, fiberglass, exhaust, hanger work, ATVs and mud flaps
- Used for dash work, stripped fasteners and removing/installing panels
- kit includes 1 x CTSR761DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)

Length (inches / mm)	13-3/10 (338)
Width (inches / mm)	2 (50.8)
Height (inches / mm)	4 (102)
Torque Output (in-lb / N •m)	50 (16.9)
Free Speed (RPM)	0-1,550
Battery	MicroLithium 2.5 Ah



4150:-

CTRS761DB 2075:-

4120:-



14.4 V MicroLithium Cordless In-Line Screwdriver Kit CTSS761U2

- Variable-speed trigger allows the user to regulate the proper RPM
- Nine-position clutch to dial in the proper torque
- Built-in LED illuminates work area
- Rapid 70-minute charge time keeps the job moving
- Handles most standard style screwdriver bits as well as power bits
- Cushion grip handle provides comfort
- Easy-access Forward/Reverse button
- kit includes 1 x CTSS761DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)

Width (inches / mm)	2 (50.8)
Height (inches / mm)	4 (102)
Torque Output (in-lb / N •m)	65 (7.3)
Free Speed (RPM)	0-1,350
Battery	MicroLithium 2.5 Ah

CTRSS761DB 2075:-

14.4 V 1/4" Drive MicroLithium Cordless Ratchet CTR814DB

Height (inches / mm)	12.8 (324)
Torque Output (ft-lb / N •m)	70 (95)
Manual Torque, ft-lb (N•m)	158 (214)
Free Speed (RPM)	175
Battery	MicroLithium 2.5 Ah

2900:-

- Powerful 35 ft-lb of torque output, perfect for applications with fasteners 12 mm or smaller
- 350 RPM free speed removes fasteners rapidly
- Brushless motor for longer run time and durability
- Integrated LED headlight illuminates work area
- Variable speed trigger for precise tool control
- Over and under temperature protection keeps tool operating efficiently
- Cushion grip handle for positive tool control with less user fatigue
- Large greasable reversing knob for ease of direction change
- Tool only.



14.4 V 1/4" Drive MicroLithium Cordless Long-Neck Ratchet CTR817DB

CTR817DB

- Powerful 35 ft-lb of torque output, perfect for applications with fasteners 12 mm or smaller
- 350 RPM free speed removes fasteners rapidly
- Variable-speed trigger for precise tool control
- Built in LED illuminates work area
- Long 6" extended neck for great accessibility
- Brushless motor means superior durability, longer tool life and maximum run time
- Tool only.

Height (inches / mm)	16.3 (414)
Torque Output (ft-lb / N •m)	70 (95)
Manual Torque, ft-lb (N•m)	158 (214)
Free Speed (RPM)	175
Battery	MicroLithium 2.5 Ah

3450:-



14.4 V 3/8" Drive MicroLithium Cordless Long-Neck Ratchet Kit

CTR867U2

- 60 ft-lb of torque output removes stubborn fasteners
- 158 ft-lb of manual torque to loosen rusty fasteners
- 275 RPM gets the job done quickly
- Variable-speed trigger for precise control
- Over- and under-temperature protection keeps tool operating at peak efficiency
- Cushion grip handle provides comfortable non-slip control for less fatigue over time
- Battery gauge displays power remaining
- Integrated 18 lm LED headlight illuminates work area
- kit includes 1 x CTR867DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)

Weight with battery inches (mm)	3.3 (1.5)
Height (inches / mm)	15.6 (396)
Torque Output (in-lb / N •m)	60 (81)
Free Speed (RPM)	275
Battery	MicroLithium 2.5 Ah

6550:-



CTR867DB 4275:-

14.4 V 3/8" Drive MicroLithium Cordless Ratchet Kit

CTR762U2

Height (inches / mm)	12.8 (324)
Torque Output (ft-lb / N •m)	70 (95)
Manual Torque, ft-lb (N•m)	158 (214)
Free Speed (RPM)	175
Battery	MicroLithium 2.5 Ah

- Digital variable-speed trigger for precise tool control
- Built in brake stops the tool from throwing sockets and fasteners
- Integrated LED light illuminates the work area
- Cushion grip handle provides positive tool control
- Large forward/reverse knob for easy change of direction
- Battery gauge displays power remaining
- 2.5 Ah batteries for extra long runtime between charges
- kit includes 1 x CTR762DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)

4275:-



CTR762DB 2640:-

Snap-on® Tools

14.4 V 3/8" Drive MicroLithium Cordless Long-Neck Ratchet Kit

CTR768U2

4925:-



- Digital variable-speed trigger for precise tool control
- Built-in brake prevents tool from throwing sockets and fasteners
- Integrated LED light illuminates the work area
- Cushion grip handle provides positive tool control
- Large forward/reverse knob for easy direction change
- Battery gauge displays power remaining
- Uses 2.5 Ah battery for extra-long run time
- Long neck to access hard-to-reach fasteners
- kit includes 1 x CTR768DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)

Height (inches / mm)	16.3 (414)
Torque Output (ft-lb / N •m)	70 (95)
Manual Torque, ft-lb (N•m)	158 (214)
Free Speed (RPM)	175
Battery	MicroLithium 2.5 Ah

CTR768DB 3125:-

14.4 V 3/8" Drive MicroLithium Cordless Ratchet Kit

CTR861U2

Height (inches / mm)	12.2 (310)
Torque Output (ft-lb / N •m)	60 (81)
Manual Torque, ft-lb (N•m)	158 (214)
Free Speed (RPM)	275
Battery	MicroLithium 2.5 Ah

- Super bright 18 lm light
- Brushless motor
- Auto trigger shuts tool off after two minutes of continuous use
- Digital variable-speed trigger allows for slow start-ups
- Built-in brake prevents tool from throwing fasteners
- Cushion grip handle for positive tool control
- Built-in fuel gauge indicates battery charge
- Large greased forward/reverse knob allows for lubricating the head
- kit includes 1 x CTR861DB (tool only) + 2 x CTB8174 (battery) + 1 x CTCEU772A (charger)



6150:-

CTR861DB 3290:-

DB=TOOL ONLY

CTGR8850DB 18v GRINDER TOOL ONLY 4250:-

Power Tools Accessories



CTB8187 (Battery)

- Compatible with all 18V tools listed here

1650:-



CTB185 (Battery)

- Compatible with all 18V tools listed here

1650:-



CTCEU131A (Charger)

- Compatible with all 18V and 14.4V tools listed here

1090:-



cTB8174 (Battery)

- Compatible with all 14V tools listed here

890:-



CTCEU772A (Charger)

- Compatible with all 14V tools listed here

740:-



CTTOTEA (Power tool tote bag)

- Compatible with all 14V and 18V tools listed here, except: CTCG8850DB, CGG8850DB and CTRS8850DB
- Approximate inside dimensions, open: 457 x 203 x 292mm

575:-

POWERTOTEBK (Power tool tote bag)

- Compatible with all 14V and 18V tools listed here, except: CTCG8850DB, CGG8850DB and CTRS8850DB
- Approximate inside dimensions, open: 457 x 203 x 292mm

660:-



Snap-on® Tools



Meka Amerikanskt
0704-521000
mekaamerikanskt@gmail.com

Kampanjen gäller t.o.m. 2023-05-31 med reservation för ev. slutförsäljning.
Alla priser exkl. moms.