


***Snap-on***® Tools

# **AUTUMN** **&** **WINTER**

**PROMOTION**





**23Q4-STARTERSET3**

**17 PC 3/8" DRIVE DEEP 6-POINT METRIC STARTER SET**

- High-strength sealed-head ratchet built for strength, precision and durability
- Sockets feature Flank Drive® wrenching system, which grips the fastener on the flanks/flats, increasing torque by 15–20%
- Nickel-chrome plating provides a mirror-like, wear-resistant finish
- Universal joint helps increase access to hard-to-reach fasteners
- Stronger alloy steel allows extensions to be turned to a smaller diameter for greater accessibility



**3995:-**

**UNMATCHED**  
**QUALITY**



**23Q4-147MBPGSSUK**  
**47 PIECE 1/4" DRIVE METRIC GENERAL SERVICE SET (Blue-Point®)**

- High quality chrome plating looks great and provides a durable, easy-to-clean finish
- Comes with a durable blow-molded case



**995:-**



23Q4-BLPTH87

**87 PIECE TORX HEX BIT DRIVE SET  
(Blue-Point®)**

- 1/4" drive components include (5) External TORX® Sockets (E4-E8), (10) TORX® Bit Sockets (T6-T30), (10) Long TORX® Bit Sockets (T6-T30), (5) Metric Hex Bit Sockets (2.5-6 mm), (3) Long Metric Hex Bit Sockets (4-6 mm), (6) Hex Bit Sockets (1/8-1/4") and (3) Long Hex Bit Sockets (1/8-3/16")
- 3/8" drive components include (4) External TORX® Sockets (E10-E16), (3) TORX® Bit Sockets (T40-T50), (3) Long TORX® Bit Sockets (T40-T50), (5) Metric Hex Bit Sockets (6-10 mm), (4) Long Metric Hex Bit Sockets (7-10 mm), (4) Hex Bit Sockets (7/32-3/8") and (4) Long Hex Bit Sockets (7/32-3/8")
- 1/2" drive components include (4) External TORX® Sockets (E18-E24), (2) TORX® Bit Sockets (T55, T60), (2) Long TORX® Bit Sockets (T55, T60), (5) Metric Hex Bit Sockets (10-19 mm) and (5) Hex Bit Sockets (7/16-3/4")
- Includes storage case



2895:-



23Q4-103TMXWKL

**3 PC 1/4" DRIVE LOCKING  
WOBBLE EXTENSION SET**

- Includes 3, 6 and 11" extensions in a storage tray
- Quick-release sleeve allows easy socket application and removal
- Locking design provides eight times the socket retention strength compared to standard ball detent versions
- Wobble design provides 16° of clearance; important when working in tight engine compartments



1250:-

23Q4-114YTMMY

**14 PC 1/4" DRIVE 6-POINT METRIC  
FLANK DRIVE® XTRA SHALLOW  
SOCKET SET (4-15 MM)**



1475:-



23Q4-BLPTORX1410

**10 PIECE 1/4" DRIVE TORX SET  
(Blue-Point®)**



550:-



23Q4-BLPHEXS1418

**18 PIECES 1/4" STUBBY HEX SET  
(Blue-Point®)**



825:-





**23Q4-206PFSXM**  
**6 PC 3/8" DRIVE 6-POINT**  
**METRIC SWIVEL BALL EXTENSION**  
**SOCKET SET (10-15 MM)**

 **2895:-**

- Includes 10-15 mm extension sockets in a storage tray
- Applications include transmission pan bolts on Toyota® and Lexus® vehicles; faster and easier intake removal on Volvo® vehicles; several underdash applications
- Great for difficult access where the use of one tool works better than three (socket, swivel and extension)
- Flank Drive® wrenching configuration where the socket grips the fastener on the flanks/flats increasing torque by 15–20%
- Machined from tough alloy steel

**23Q4-RAT3HLFDDT**  
**3 PC DRIVE DUAL 80® TECHNOLOGY HARD**  
**GRIP LONG HANDLE FLEX-HEAD RATCHET**  
**SET**

- Set includes 1 x 1/4" 1 x 3/8" and 1 x 1/2" ratchets

 **4595:-**



**23Q4-FRK80**  
**3/8" DRIVE DUAL 80® TECHNOLOGY STUBBY HANDLE**  
**QUICK-RELEASE RATCHET**

- Length, inches: 4-3/16
- Swing arc, degrees: 4.5



 **1175:-**

**23Q4-FRKF80A**  
**3/8" DRIVE DUAL 80® TECHNOLOGY STUBBY HANDLE**  
**FLEX-HEAD QUICK-RELEASE RATCHET**

- Length, inches: 4-3/4
- Swing arc, degrees: 4.5



 **1350:-**

**23Q4-SRKF80A**  
**1/2" DRIVE DUAL 80® TECHNOLOGY STUBBY HANDLE**  
**FLEX-HEAD QUICK-RELEASE RATCHET**

- Length, inches: 7-1/2
- Swing arc, degrees: 4.5



 **1725:-**



**23Q4-SRLF80A**

**1/2" DRIVE DUAL 80® TECHNOLOGY EXTRA-LONG HANDLE FLEX-HEAD QUICK-RELEASE RATCHET**

- Length, inches: 24-13/16
- Swing arc, degrees: 4.5



**1925:-**



**23Q4-SN4B**

**1/2" DRIVE 17-1/4" FLEX-HEAD SPEEDER DRIVE HANDLE**



**1225:-**

**23Q4-OSHM713**

**13 PC 6-POINT METRIC FLANK DRIVE® COMBINATION WRENCH SET (7-19 MM)**

- Includes OSHM70B-OSHM190B (7-19 mm)
- The Flank Drive® system grips the fastener flats and provides up to 15-20% more turning power
- Manufactured from special alloy steel, precision forged and heat treatment provides a superior wrench with the proper strength and durability to reduce wear and breakage
- 7.5° offset broaching allows the user to flip the box end over to obtain a more advantageous grip on a fastener for restricted clearance areas
- A continuous arc design distributes stress over the entire wrench opening radius for greater strength
- Sized for optimum comfort and balance in your hand
- Longer handles provide increased leverage and greater access to those hard to reach areas
- Tough, durable, nickel-chrome plating produces a mirror-like finish that helps protect against corrosion and makes it easy to wipe the wrenches clean



**3950:-**



**23Q4-ETRM713MBA  
3/4" DRIVE SOCKET SET  
(22 TO 50 MM)**



**2375:-**



**23Q4-ETX705**

**5 PC TORX® DOUBLE BOX WRENCH SET (E5-E20)**

- TORX® profile of box end is designed to achieve maximum engagement of all TORX® fastener profile heights
- 0° handle offset of box-end minimizes risk of slipping off of fasteners when applying torque, and damaging fastener as a result



**2050:-**



**23Q4-FHOM606B**

**6 PC 12-POINT METRIC FLANK DRIVE® FLEX-HEAD/ OPEN-END COMBINATION WRENCH SET**

- Includes (6 pc) (10 mm, 12-15 mm and 17 mm)
- Includes storage tray



**3450:-**



**23Q4-VOM705**

**5 PC METRIC OPEN-END WRENCH SET**

- Continuous arc design of the open-end distributes stress evenly across the head of the wrench, transferring more to torque to the fastener
- Manufactured from special alloy steel and heat-treated for optimum strength and durability
- Nickel-chrome plating helps protect against corrosion and makes it easy to wipe clean
- Sized for optimum comfort and balance
- 15° offset broaching allows the user to flip the box end over to obtain a more advantageous grip on a fastener for restricted clearance areas



**1725:-**

**23Q4-PL330ACFO**

**3 PC HEAVY-DUTY PLIERS SET (ORANGE)**

- VectorEdge Cutters provide power and finesse at all points on the cutting edges
- Talon Grip™ Long Nose Pliers provide up to 57% increase in pulling power, with a relocated joint, optimized handle shape and diamond-serrated jaws
- Machined, hardened teeth are sharp and strong like file teeth
- Features a riveted, three-position slip joint with diamond-serrated jaws for maximum versatility and increased gripping capability
- Cushion grips provide comfort, control, and power
- 3 pc set includes 49ACFO, 312CFO and 911ACFO



**1675:-**



**23Q4-SFLDP1**

**NEW PRODUCT: REMOTE FUEL LINE  
DISCONNECTING PLIERS**

- for removing Fuel Line Connectors, Vacuum Line Connectors & other electrical connectors / tabs
- Heavy Duty 5/64" cable with a new assembly method for extra-long life
- Hardened five-stop ratchet lock with a slide guide ensures engagement without slipping or stripping teeth



RED



1275:-

**23Q4-PWC80A  
CABLE CUTTER**



- For cutting battery cables and other soft metal cables
- Vinyl-covered handles
- 7-1/2" long



 **375:-**



**23Q4-AST6066  
LOW PROFILE VAG HOSE CLIP PLIERS**

 **550:-**



**23Q4-AST6068  
ANGLE CLIC-CLIC HOSE CLIP PLIERS**

- Suitable for 'Clic-Clic' type hose clips
- Angled for easy access
- For areas which are difficult to access
- Swivel Head
- Spring loaded, soft grip handles

 **475:-**

**23Q4-AST6100  
NEW - OIL DRAIN PLUG THREAD REPAIR KIT - 64 PCS**



- Provides a range of taps and replacement drain plugs to replace the drain plug when a stripped thread is encountered in the sump pan.
- Avoids having to replace the complete sump just because the drain plug thread has stripped during the oil change.
- Using the appropriate size special tap provided, re-thread the hole.
- Fit the corresponding oversize drain plug and washer supplied in the kit.
- Universal Applications - this kit covers most popular drain plug threads found on a wide range of cars and light vans.

Includes Special Taps and Replacement Sump Plugs / Washers for the following sizes:

- M13 x 1.5 Oil Drain Plug Repair Kit - for use on M12 Threads
- M15 x 1.5 Oil Drain Plug Repair Kit - for use on M14 Threads
- M17 x 1.5 Oil Drain Plug Repair Kit - for use on M16 Threads
- M20 x 1.5 Oil Drain Plug Repair Kit - for use on M18 Threads



 **1375:-**



## 23Q4-AST6125

### DIESEL INJECTOR SET CUTTER SET

- provides a reliable method of removing carbon build-up and reworking the seating face of the cylinder head to ensure that the injectors can be correctly installed

comprises:

- Dummy injector post with guide nozzle for accurate alignment of the cutter
- T-bar handle for controlled rotation of the cutter during the cleaning/reworking operation
- 4 seat cutting bits covering common injector sizes and seat forms:
  - 15mm flat cutter, 19mm body diameter
  - 17mm flat cutter, 17mm body diameter
  - 17mm flat cutter, 19mm body diameter
  - 17mm angled cutter, 21mm body diameter

Individual parts within the set:

- AST6125-1 Dummy Injector
- AST6125-2 T-bar Handle
- AST6125-3 Cutter - 15mm flat x 19mm body
- AST6125-4 Cutter - 17mm flat x 17mm body
- AST6125-5 Cutter - 17mm flat x 19mm body
- AST6125-6 Cutter - 17mm angled x 17mm body



1350:-



## 23Q4-BLPBTWKITUK

### 25 PIECES 1/4 BIT RATCHET KIT (Blue-Point®)



775:-

- Includes: (10) Metric Shallow Sockets (4-13 mm), (13) assorted Insert Bits, (1) 4" Extension and (1) 6" Ratcheting Bit Driver
- Great set for use on the road or at home, utilizing bits and sockets for the most common fastener applications
- Multifunction ratcheting tool drives both 1/4" sockets and 1/4" insert bits without need to utilize adaptors
- Push-button release holds sockets securely in place
- Low-profile, easy-action reverse lever won't get in the way
- 10° offset box head provides knuckle clearance
- Tough, durable nickel-chrome looks great and cleans up easily
- Compact storage case with foam insert securely holds tools in place and stores great in tight places like glove boxes, saddlebags, etc.



## 23Q4-SDM410

### MASTER METRIC SCREWDRIVER BIT SET

- Includes (36) hex shank bits, (3) adaptors and (1) convenient storage case



1475:-



550:-



### 23Q4-SGDMRC44B

#### RATCHETING SOFT GRIP STANDARD SCREWDRIVER (RED)

- Get started with a complete screwdriver from the soft grip ratcheting screwdriver system
- Perfectly matched combinations of magnetic bit holding shanks and handles means you can choose just what you need for your particular requirements
- Includes handle, hex shank, flat tip bit and #2 PHILLIPS® bit



195:-



### 23Q4-SDDD41

#### REVERSIBLE BLADE SCREWDRIVER SET (BLACK)

- Includes (2) reversible bits for four different tip sizes: 9/32" and 13/64" flat tip, PHILLIPS® #1 and #2 tips
- Durable, classic hard handle is textured for a sure grip



### 23Q4-SGDXPB90BR/DT/HV

#### 9 PC SCREWDRIVER/ PRYBAR SET

- Includes (3) flat tip screwdrivers (.035", .045" and .050"), four Phillips ACR® screwdrivers (#1, (2) #2 and #3) and two prybars (MPBS10A straight tip and SPBS8A curved tip)
- Screwdrivers have Soft Instinct® handles for power, comfort and versatility; prybars have tough, durable composite handles with striker caps
- Flared end of prybar handle offers protection from off-center handle strikes
- Prybar blade extends through the handle and contacts the solid metal end cap for solid striking force
- The MPBS10A prybar features a slim tapered tip capable of turning large slotted fasteners
- Nickel-chrome plating helps protect against corrosion and promotes easy cleanup



2650:-



575:-



23Q4-CSSD50B

**1/2" HEAVY-DUTY CARBIDE SCRAPER (BLACK)**

- Durable 1/2"-wide carbide tip on a solid steel shank provides access to tight recesses on manifolds, engine blocks, rotors and more
- Four-inch exposed shank provides better access and reach and allows user to keep hands away from work surface
- Compact acetate handle provides durability and comfort, yet is extremely tough—able to hold up to harsh automotive fluids and cleaners
- Included plastic guard minimizes potential damage to carbide tip when stored



- Heavy-duty steel straight punch
- Heavy-duty nylon handle provides a comfortable, secure grip
- Flared handle end with striker cap protects hands from off-center hammer strikes

23Q4-SPLR25R

**1/4" LONG REACH PIN PUNCH (RED)**



450:-



1/4"

23Q4-SPLR38R

**3/8" LONG REACH PIN PUNCH (RED)**



475:-



3/8"

23Q4-SPLR516R

**5/16" LONG REACH PIN PUNCH (RED)**



475:-



5/16"





5250:-



**23Q4-ATECH1FQS240**

**1/4" DRIVE FLEX-HEAD QUICK-RELEASE TECHANGLE® MICRO TORQUE WRENCH (12-240 IN-LB)**

- 72 tooth gear (1/4" drive)
- Flex yoke design (15°)
- ±2% CW and 3% CCW (20-100% FS)
- Uses one AA battery
- Only weighs .93 lb



4750:-



**23Q4-ATECH3FR250B**

**1/2" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (12.5-250 FT-LB)**

- 12.5-250 ft-lb
- ±2% CW and ±3% CCW, 20-100% of full scale
- Angle range: 0-360°
- Uses (3) AA alkaline batteries



2850:-



**23Q4-QD3RN350A**

**1/2" DRIVE NEWTON METER ADJUSTABLE CLICK-TYPE FIXED RATCHET TORQUE WRENCH (70-350 N·M)**

- 80 tooth gear (1/2" drive)



RED



**23Q4-TQCK3F300**

**DIGITAL TORQUE CHECKER, 1/2" FEMALE SQUARE (10 TO 406 N·M)**

- Provides accurate torque reading to validate torque instrument calibration
- Three Modes of Operation: Track, Click, and Dial
- Includes N.I.S.T. Calibration Certificate
- Powered by Micro USB 2.0
- 4-button panel user interface
- Compact form factor for convenient mounting locations



22800:-





3995:-



**23Q4-PT850GM**

### **1/2" DRIVE AIR IMPACT WRENCH**

- 1,190 ft-lb (1,613 N?·m) bolt breakaway torque and 810 ft-lb (1,098 N?·m) working torque
- 1,270 BPM and 9,200 RPM free speed for faster bolt removal
- Forged anvil, frame and hammers for a long tool life
- Cushion grip handle absorbs vibration and insulates the user's hand in cold temperatures
- Balanced ergonomic design and slow anvil start-up for greater tool control
- One-handed forward/reverse lever for user convenience
- Large dial type regulator knob

# MAKE AN IMPACT!



GUN METAL



3995:-



**23Q4-MG725AGM / BK**

### **1/2" DRIVE HEAVY DUTY AIR IMPACT WRENCH**

- 1,190 ft-lb (1,613 N?·m) of bolt breakaway torque and 810 ft-lb (1,098 N?·m) of working torque
- Faster motor start-up and greater performance with more torque than previous model
- Balanced design for superior control and less user fatigue
- Patented cushion-grip handle reduces vibration
- Patented cushion-grip tip valve trigger provides comfort and greater tool control
- Anvil stops with release of the trigger to prevent throwing fasteners
- Easy turn regulator for convenient speed control
- Weighs 4.8 lb (2.2 kg)
- Twin hammer impact mechanism is durable and hard hitting
- Sealed in oil bath lubrication with Red Line Synthetic Oil always keeps impact mechanism lubricated for less wear
- Two year warranty



GUN METAL

**For the toughest jobs, choose the maximum power of the MG725A**

*Blue-Point*

**23Q4-AT570**  
**1/2" DRIVE AIR IMPACT**  
**WRENCH (BLUE-POINT®)**

- Used on automotive and truck fasteners
- Shot-peen anvils for improved durability
- Reverse-bias motor provides additional torque
- Three-position regulator to control power
- One-handed forward/reverse lever for user convenience
- Composite housing with an aluminum nose combine to deliver a durable, lightweight and balanced unit
- Twin-hammer impact mechanism delivers hard-hitting blows to quickly remove stubborn fasteners



 2550:-



 7500:-

**23Q4-MG1250**  
**3/4" DRIVE HEAVY-DUTY AIR IMPACT WRENCH**

- 1,250 ft-lb (1,695 N-m) of working torque removes tough fasteners
- Six-vane rotor for faster motor start-ups
- Twin-hammer impact mechanism and sealed-in oil bath lubrication provide durability and a longer tool life
- Lightweight one-piece housing cuts tool weight to a mere 8.1 lb for superior control and less user fatigue
- Anvil stops when trigger is released to avoid throwing fasteners
- One-handed reverse button for easy operation

**POWERFUL TOOLS**  
**POWERFUL ADVANTAGES.**

23Q4-PT1800AL

**1" HEAVY-DUTY LONG ANVIL IMPACT WRENCH**




13995:-

- Lightweight design (16 lb)
- Powerful 1,800 ft-lb of torque output
- Three-speed forward and full-power reverse
- Padded ergonomic side handle for comfortable use
- Rubber nose bumper for tool durability and work piece protection
- Side-directed (reversible) exhaust for cleaner work
- Hard-hitting and durable twin hammer impact mechanism



RED



23Q4-312IMM

**12 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® SHALLOW IMPACT SOCKET SET (15-25 & 27 MM)**



1750:-



23Q4-312SIMDM

**12 PC 1/2" DRIVE 12-POINT METRIC FLANK DRIVE® DEEP IMPACT SOCKET SET (15-25 & 27 MM)**



2995:-



23Q4-305SIMMY

**5 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® DEEP IMPACT SOCKET SET (29-30 & 34-36 MM)**



2150:-



23Q4-SIMMFSET

**1/2" DRIVE IMPACT SOCKET SET, 3 PIECES (17, 19 & 21 MM)**



550:-

**23Q4-CDR9050U2**

**18 V 1/2" MONSTERLITHIUM CORDLESS  
HAMMER DRILL KIT**

- 470 in-lb (53 N·m) of torque output
- Two-speed gearbox—420 and 2,000 RPM
- Keyless 1/2" single-sleeve metal chuck
- Drill, hammer and screw modes with 23 clutch settings
- Brushless motor for longer run time and durability
- Variable-speed trigger for precise tool control
- Super bright 100 lm LED light output
- Kit includes tool, (2) batteries, handle and a charger

**AVAILABLE ONLY IN RED!**



**5** 10500:-

**EU  
CHARGER**








4575:-

23Q4-CT9050DB

**18 V 1/2" DRIVE MONSTERLITHIUM  
CORDLESS IMPACT WRENCH  
(TOOL ONLY)**

- 1,000 ft-lb (1,355 N·m) of bolt breakaway torque and 800 ft-lb (1,085 N·m) of working torque
- Three torque settings adapt to various applications
- Brushless motor for longer run time and durability
- Super bright 100 lm LED light output
- Variable-speed trigger for precise control
- Batteries and charger not included



3195:-

23Q4-CT9010DB

**18 V 3/8" DRIVE MONSTERLITHIUM  
CORDLESS IMPACT WRENCH  
(TOOL ONLY)**

- 325 ft-lb (441 N·m) of bolt breakaway torque and 240 ft-lb (325 N·m) of working torque output
- Three torque settings adapt to various applications
- Brushless motor for longer run time and durability
- Super bright 100 lm LED light output
- Variable-speed trigger for precise control
- Batteries and charger not included





**23Q4-CTLED9050**  
**18 V MONSTERLITHIUM 800 LUMEN**  
**CORDLESS WORK LIGHT**  
**(TOOL ONLY)**

- High output light; 800 lm
- Dual reflector system easily changes from flood to beam
- 120° rotating head
- 50,000-hour bulb life
- 11-hour run time
- Tempered glass lens resists cracking and yellowing
- Resists most automotive fluids
- Low battery light indicates when battery needs charging
- High/Low switch allows user to reduce light output 50%
- Batteries and charger not included



RED



975:-



**23Q4-CT861U2**

**14.4 V 3/8" DRIVE MICROLITHIUM**  
**CORDLESS IMPACT WRENCH KIT**

(TOOL + 2 x BATTERY + CHARGER)



5175:-

- 225 ft-lb (305 N·m) of bolt breakaway torque and 150 ft-lb (203 N·m) of torque output
- Variable-speed toggle-style trigger for precise tool control
- Tri-beam LED headlight illuminates work area
- Brushless motor for longer run time and durability
- Glass-filled nylon housing for durability
- Built-in fuel gauge indicates battery state of charge

**23Q4-CT861W1**

**14.4 V 3/8" DRIVE MICROLITHIUM**  
**CORDLESS IMPACT WRENCH**  
**(ONE BATTERY)**

(TOOL + BATTERY)



4050:-

**23Q4-CT861DB**

**14.4 V 3/8" DRIVE MICROLITHIUM**  
**CORDLESS IMPACT WRENCH**  
**(TOOL ONLY)**



2995:-



RED



**EU**  
**CHARGER**

23Q4-207IPFM

**7 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® SHALLOW IMPACT SWIVEL SOCKET SET (10, 12-15, 17 & 18 MM)**



2025:-



RED



23Q4-CGRR861DB

**14.4 V MICROLITHIUM CORDLESS RIGHT ANGLE DIE GRINDER (TOOL ONLY)**



2650:-

- Ideal for use with 2" accessories
- Small, lightweight and portable
- Dual collet system accepts 1/8" or 1/4" accessories
- Push-button spindle lock for fast bit changes
- Variable speed allows user to adjust the required torque
- Low-battery light indicates when battery needs charging
- 9,500–28,000 RPM
- 2.2 lb weight and 11.4" overall length allows for easy access and maneuverability
- Batteries and charger not included

23Q4-CTDFL861

**NEW PRODUCT: 14.4 V MICROLITHIUM 1,000 LUMEN DUAL-FUNCTION LIGHT (TOOL ONLY)**

- Operates as a flashlight or an adjustable stick light
- 1,000 lm of light output illuminates a large work area
- Four light modes: flashlight, single side, opposite sides or dual-side LED
- 4-, 6- and 8-hour run time for working longer (4 hours dual-side, 6 hours single side, 8 hours flashlight)
- Low battery indicator light indicates when the battery needs to be charged
- Integrated hook allows for hanging the light for hands-free operation
- Resists most automotive fluids
- Impact modified glass filled nylon housing helps withstand drops
- 96 LEDs provide ample clean light output
- Batteries and charger not included



RED



1375:-



**23Q4-CTLED861MB**

**14.4 V MICROLITHIUM 500 LUMEN CORDLESS WORK LIGHT (TOOL ONLY)**



- 500 lm output
- 120° rotating head
- 13-hour runt time, with 10-minute low battery indicator
- Tempered-glass lens
- Easily adjusts from spot to flood
- Aluminum head
- Resists automotive fluids
- Impact-modified glass-filled nylon housing
- High-quality LED bulb
- Works with CTB6172, CTB7172, CTB8172, CTB8172BK and CTB8174 batteries
- Batteries and charger not included



**23Q4-CTPP861DB**

**14.4 V MICROLITHIUM CORDLESS POLISH/ PREP TOOL (TOOL ONLY)**

- Two-speed gearbox—3,500/15,000 RPM
- Variable-speed trigger for precise control
- Push-button spindle lock for ease of use with accessories
- 5/16"-24 UNF threads
- Cushion grip handle provides positive tool control
- 2.5 Ah battery for extra long run time between charges
- Batteries and charger not included



**23Q4-CTS861DB**

**14.4 V 1/4" HEX MICROLITHIUM CORDLESS BRUSHLESS TOGGLE SCREWDRIVER (TOOL ONLY)**

- 200 in-lb of torque output
- Two-speed gearbox: 450/1,550 RPM
- 300 in-lb manual spindle lock
- Nine-position clutch
- Glass-filled nylon housing for durability
- Variable-speed toggle-style trigger
- Twin-beam headlight
- Quick 70-minute battery charge for less down time
- Built-in fuel gauge indicates battery state of charge
- Screened motor keeps debris from entering critical components
- Cushion grip handle provides positive tool control with less user fatigue
- UL® and cUL® listed
- Batteries and charger not included



**23Q4-CTR867ADB**  
**14.4 V 3/8" DRIVE**  
**MICROLITHIUM**  
**CORDLESS LONG-NECK**  
**BRUSHLESS RATCHET**  
**(TOOL ONLY)**

- 6" extended neck
- 60 ft-lb of torque output
- 158 ft-lb of manual torque
- 275 RPM
- Variable-speed trigger
- Over- and under-temperature protection keeps tool operating at peak efficiency
- Cushion grip handle
- Battery gauge displays power remaining
- Integrated 18 lm LED headlight
- Brushless motor means superior durability, longer tool life and maximum run time
- Batteries and charger not included



**23Q4-ECPRA072E**  
**PROJECT LIGHT, 700 LUMEN (MIX**  
**COLOURS)**

- Operates as a flashlight or an adjustable stick light
- 1,000 lm of light output illuminates a large work area
- Four light modes: flashlight, single side, opposite sides or dual-side LED
- 4-, 6- and 8-hour run time for working longer (4 hours dual-side, 6 hours single side, 8 hours flashlight)
- Low battery indicator light indicates when the battery needs to be charged
- Integrated hook allows for hanging the light for hands-free operation
- Resists most automotive fluids
- Impact modified glass filled nylon housing helps withstand drops
- 96 LEDs provide ample clean light output
- Batteries and charger not included
- Charging is via USB-C power connection



# CHARGE THEM UP



**23Q4-CTB8187**

## **18 V 5 AH MONSTERLITHIUM ION SLIDE-ON BATTERY**

- 18 V 5.0 Ah high-capacity lithium battery (90 Wh)
- 90-minute charge time
- Four built-in LEDs indicate battery charge state
- No memory effect or self-discharge
- Glass-filled nylon housing for durability
- Operates on CTC720, CTC123, CTC131 and CTC131A chargers



**1775:-**

**23Q4-CTB8174**

## **14.4 V 2.5 AH MICROLITHIUM BATTERY**

- 14.4 V 2.5 Ah high-capacity lithium battery (36 Wh)
- Weighs just 12 oz; fits 14.4 V and most 7.2 V 661 Series tools
- Fast 70-minute charge time
- No memory effect or self-discharge
- Glass-filled nylon housing for durability
- Operates on CTC772, CTC131, CTC131A and CTC123 chargers



**950:-**



**23Q4-CTCEU131A**

## **14.4V-18V DUAL CHARGER - EU**

- Dual bay: Charges 14.4 V MicroLithium and 18 V MonsterLithium batteries consecutively
- Integrated USB port: Charges phones and small electronic devices
- LED fuel gauge indicator: Indicates the state of the battery charge
- Low profile: Great for tool storage
- Wall mountable: Easy to hang for out-of-the-way use
- Heavy-duty cord with daisy chain plug: Allows other electronics to remain plugged in



**1095:-**



### 23Q4-MAGDISH10

#### NEW PRODUCT: 10" COLLAPSIBLE MAGNETIC DISH



- 10" magnetic dish is ideal for storing loose tools, parts, hardware and fasteners
- Can be expanded to maximize storage or collapsed when not in use
- Strong neodymium magnets
- Soft neodymium material will not scratch surfaces
- Easy to wipe clean
- Soft silicone material will not scratch surfaces



RED





23Q4-CJ2004

**INTERCHANGEABLE PULLER SET**

- For use on bearings, bearing races, gears, bushing retainers and more
- Combine to create 12 different pullers
- Two- and three-jaw capability with three sets of jaws
- All jaws reverse for inside and outside pulls
- Pulling capacity: 4-1/2 ton (short jaws), 6-1/2 ton (medium jaws), 8 ton (large jaws)



8995:-

*Blue-Point®*



23Q4-YA2019

**3 PC SCREW REMOVER SET (BLUE-POINT®)**

- Use to remove damaged PHILLIPS®, TORX®, Pozidriv®, slotted, internal hex, Tri-Wing®, Frearson and most tamper-resistant screws and fasteners
- Tool bites into the damaged fastener in reverse direction, allowing user to easily remove damaged screws
- For use with a variable-speed reversing drill or 1/4" hex bit screwdriver



350:-

23Q4-ITC3916B

**20 PIECE BRAKE CALIPER REWIND TOOL SET**

- Enables the rewinding of pistons back into the bore on most disc brake calipers
- Service and replace worn pads on both wind back and push back type brakes
- Includes wind back tool for use on right and left hand threads



1050:-



**23Q4-FJ300EUR**  
**2.5 TON FLOOR JACK**



**5250:-**

- Low height of 3-7/8" to fit easily under a variety of vehicles
- Maximum lifting height of 23.4"
- Lift arm is contoured to allow clearance with the vehicle's rocker panel
- Premium U-Cup seals on pumps and ram pistons for long life
- Professional one-piece handle design
- Special high-performance hydraulic oil for extreme temperatures and reduced wear
- Internal filtration with a magnet in the pump reservoir to maintain oil cleanliness
- Powder coated finish for durability
- Dual-pump pistons for speed to reach service height quickly
- Grease fittings in the front wheels, lift arm and yoke pivots for reduced wear
- Removable saddle with a rubber pad
- Front wheels have a nut and shoulder design for positive retention
- Meets ASME®-PASE 2014



**23Q4-SNXPR10A**  
**10 TON BODY JACK SET (BLUE-POINT®)**



- Sets are portable for easy usage in shop or on the road. 10 ton set has wheels for easy movement
- Designed for applications of pushing, spreading and pressing of vehicle body panels as well as various component parts and assemblies



**4025:-**

**23Q4-SNX2LTJ**  
**2 TON JACK WITH LOWERED FRONT**  
**(BLUEPOINT)**



- 2 tonne capacity
- Lift height 495mm
- Foot pedal for quick left
- Super low entry height at only 68mm



**2950:-**





**23Q4-PH3050BR**  
**SUPER-DUTY AIR HAMMER (2,500 BPM)**



RED



3995:-




- 2,500 BPM with hardened steel piston, delivering harder blows for maximum impact
- Dual elastomer cushions absorb shock and vibration, reducing user fatigue
- Phenolic (Kevlar® reinforced) flutter disc provides long life
- Direct multiport front exhaust keeps air and debris away from user
- High-grade steel barrel provides greater strength
- Variable-speed soft-touch trigger with featherability provides superior control
- Four-position built-in air regulator varies power for different applications
- Air line screen helps prevent foreign particles from clogging trigger mechanism
- Includes PH200D Universal Quick-Change Chuck Retainer
- Intended for heavier-duty applications like separating ball joints and cutting large bolts, rivets, heavy gauge sheet metal and driving bushings

**23Q4-PHGFSET01FR**

**21 PC ESSENTIAL AIR HAMMER BIT FOAM SET (BLACK ON RED)**

- Includes 21 pc: (4) PHG79B, PHG80B, PHG81B and PHG821B Roll Pin Punches; PHG59B Tapered Punch; (2) PHG71B and PHG68B Round Hammer; PHG72B U-Joint Needle Type Trunion Driver; HG73B Drift Punch; PHG77B Straight Punch; PHG155B Cold Chisel; (3) PHG84B, PHG58C and PHG55B Flat Chisels; PHG85B Curved Flat Chisel; PHG61B Slitting Chisel; PHG56B Scraper; PHG51B Sheet Metal Ripper; PHG57B Double-Bladed Panel Cutter; PHG69B Ball Joint/Tie Rod Separator and PHG70B Spot Weld Breaker
- Modular design provides in-drawer reconfiguration for new tools
- Fits in a 2" drawer
- Overall size: 19.24" W x 13.32" L x 1.73" H



RED/BLACK




9500:-

**23Q4-TORCH300 / G / O / Y**  
**BUTANE GAS TORCH**

- One-handed operation for maximum flexibility
- Flame easily adjusts up to 3-1/2"
- Ultrasonically welded gas tank in combination with a robust burner head built of stainless steel and ceramic materials provide unmatched durability
- Ergonomic rubberized grip conforms to the hand
- Twin-spark ignition ensures the torch lights the first time, every time
- Powerful multidirectional flame can be utilized upside down and in windy conditions
- Self-venting filling valve for fast refueling
- Product is non-returnable and may contain Butane which can explode unexpectedly; dispose of Butane in accordance with local regulations



HI-VIZ



RED/BLACK



550:-



GREEN



ORANGE



HI-VIZ



575:-



**23Q4-KRBC2TDPC**  
**ROLL CART (BLUE-POINT®)**



- 150 lb load capacity
- Rugged construction with rolled edges and welded post holders
- 4 x 1-1/8" casters, two locking and two standard
- Trays feature rolled edges for improved strength and rigidity
- Trays measure 30" long x 17" deep
- Casters are 4 x 1-1/8" (two locking and two standard)



**1995:-**

**23Q4-KRA2107KZLQ7**

**7-DRAWER TWO-TONE BLACK TOOL TROLLEY WITH BLUE DRAWERS, BLACK TRIM AND BLACK STEEL WORKTOP**



**13995:-**



**BLUE/ BLACK**

*Snap-on Tools*

**AUTUMN**  
**&**  
**WINTER**

**PROMOTION**

**PLEASE CONTACT:**

**Meka Amerikanskt**  
**0704-521000**  
**mekaamerikanskt@gmail.com**

Kampanjen gäller t.o.m. 2023-12-31  
med reservation för ev. slutförsäljning.  
Alla priser exkl. moms.