

***Snap-on Tools***

**ILLUMINATE  
YOUR DEALS!**

**26Q1-ECARG068U**  
600 LUMEN RECHARGEABLE  
BATTERY FLEX LIGHT (EU)

**5** 950:-

- Bar Light : 600 lumen
- Spot Light: 300 lumen
- Flexes to any angle
- USB-C port for charging
- IP65



**26Q1-ECARL032RU**  
500 LUMEN DUAL-SIDED MINI  
FLEX LIGHT (EU)

**5** 750:-

- Single-side : 300 lumen
- Dual-side : 500 lumen
- 270° rotating design
- Magnetic



**26Q1-ECARM058U**  
550 LUMEN RECHARGEABLE  
BATTERY ARTICULATING SLIM  
LIGHT (EU)

**5** 795:-

- Slim Light : 550 lumen
- UV spotlight on top
- 270° rotating design
- Battery: ECRECHRBATT
- IP65
- Magnetic



**26Q1-ECFLH062U**  
600 LUMEN PIVOTING  
FLASHLIGHT (EU)

**5** 1250:-

**LIMITED STOCK**

- Output : 600 lumen
- 110° pivoting head
- 180° rotating base
- USB-C port for charging
- Magnetic Base & Handle
- IP65



**26Q1-ECFLI082RU**  
800 LUMEN ALUMINUM  
FLASHLIGHT (EU)

**5** 1150:-

- Output : 800 lumen
- Head out: focused beam / Return: flood beam
- Dimmable switch
- USB-C port for charging
- Magnetic removable boot



**26Q1-ECSPM052U**  
525 LUMEN FLEX-BLADE  
LIGHT (EU)

**5** 895:-

- Slim Light : 525 lumen
- 18" flexible goose neck
- Magnetic



**LIMITED STOCK**

**26Q1-ECSPLO52U**  
500 LUMEN SUCTION CUP  
LIGHT (EU)

**5** 1125:-

- 500 lumen
- Electric suction cup with auto vacuum mechanism
- Magnetic base can be used by removing suction cup
- 240° vertical rotation
- 360° horizontal rotation
- Replaceable suction cup module



**26Q1-ECPRJ032U**  
**26Q1-ECPRJ032OU**  
**26Q1-ECPRJ032GU**  
**26Q1-ECPRJ032BLKU**

**5** 495:-

300 LUMEN LIGHTWEIGHT  
POCKET LIGHT (EU)

- Output : 300 lumen
- Ultra Slim and Lightweight
- 270° rotating design
- Oil and Shock Resistant
- Large slim pocket clip with magnetic.



**26Q1-ECARK128U**  
1,200 LUMEN RECHARGEABLE  
BATTERY MINI WORKLIGHT (EU)

**5** 1325:-

- Output: 1,200 lumen
- 110° pivoting design
- USB-C on batteries / light
- Can be charged via charging base: ECRECHRBASE
- Magnetic



**26Q1-ECARP102U**  
1050 LUMENS XL ARTICULATING  
MAGNETIC WORK LIGHT (EU)

**5** 1425:-

- Slim Light : 1050 lumen rotating design
- Magnetic multi-purpose foot



**PRODUCT NEW**



**26Q1-ECFDG108U** /  
1,000 LUMEN RECHARGEABLE  
BATTERY BAR LIGHT(EU)

- Output : 1000 lumen
- 120° rotating base
- Includes (2) rechargeable batteries (ECRECHRGATT)
- Magnetic

**5** 1350:-

**26Q1-ECARN052U** /  
525 LUMEN SLIM ROTATING  
HANDLAMP (EU)

- Flood Light : 525 lumen
- Spot Light : 200 lumen
- 180° rotating design
- Slim and handheld
- Magnetic.

**5** 975:-



**26Q1-ECPRK058U** /  
550 LUMEN RECHARGEABLE  
BATTERY PROJECT LIGHT (EU)

**5** 950:-

- Output : 550 lumen
- 360° rotatable base
- Dimmable switch with memory function
- Includes a rechargeable battery (ECRECHRGATT)
- Magnetic.



**26Q1-ECHDF042** /  
450 LUMEN HIGH-TECH  
HEADLAMP

**5** 925:-

- Output : 2 x 225 lumen (450 lumen total)
- 70° rotating light heads
- Individual dimmable lights



**26Q1-ECPRD068EUR** /  
FASTCHARGE 400 LUMEN  
PROJECT LIGHT (EU) (RED)

**26Q1-ECPRD068EUG** /  
FASTCHARGE 400 LUMEN  
PROJECT LIGHT (EU) (GREEN)

**LIMITED STOCK**

**5** 1350:-

- Output : 400 lumen
- 360° swivel bracket with strong magnets
- IP65



**26Q1-ECPNH012UVU**  
UV PENLIGHT

**5** 595:-

- Ultraviolet penlight is rechargeable
- UV wavelength is 395-405 nanometers
- Convenient size for leak detection in tight spaces
- Comfortable, replaceable mouthpiece on the end for hands-free use
- Wacker R250 silicone rubber mouthpiece is FDA compliant
- Detachable clip



**26Q1-ECFDF108U** /  
1,100 LUMEN RECHARGEABLE  
BATTERY MINI WORK LIGHT (EU)

**5** 895:-

- Output : 1100 lumen
- Includes two rechargeable batteries
- Strong magnetic 180° rotating bracket
- Dimming switch
- USB-C port for charging



**26Q1-ECSPH271U-L** /  
900 LUMEN PROJECT LIGHT (EU)

**5** 750:-

- Output : 900 lumen
- 360° rotation
- Dual-charge system allows charging via the combo base, or individually with USB-C port
- IP65 Rated

**LIMITED STOCK**



**26Q1-ECHDG052U** /  
550 LUMEN DUAL LIGHT HEADBAND

**5** 925:-

- Output : 550 lumen
- 90° tilting light enables multiple lighting angles
- Soft comfortable headband for all-day wear



**LIMITED STOCK**

**26Q1-ECSPH271U** /  
2,700 LUMEN COMBO POCKET  
LIGHTS KIT (EU)

**5** 2995:-

- Output : 2,700 lumen
- Multifunctional combo light—can be used together as a floodlight or three individual project lights
- 270° rotating design
- Oil and Shock Resistant
- Large slim pocket clip with magnetic.



**26Q1-ATECH2F125BV** // **26Q1-ATECH2F125VR** //  
3/8" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (5-125 FT-LB)

- Torque Range, ft-lb: 5-125
- Length, inches: 17-25/32
- Swing Arc: 4.5°
- Gear Teeth: 80
- Batteries: 3 x AA

 **5995:-**

**26Q1-QD1RN25B**

1/4" DRIVE NEWTON METER ADJUSTABLE CLICK-TYPE FIXED RATCHET TORQUE WRENCH (5-25 N·M)

- Torque Range 5-125: 5-25 N·m
- Length, inches: 11-3/4
- Swing Arc: 10°
- Gear Teeth: 36

 **3450:-**

**26Q1-QD3RN200A**

1/2" DRIVE NEWTON METER ADJUSTABLE CLICK-TYPE FIXED RATCHET TORQUE WRENCH (40-200 N·M)

- Torque Range, N.m: 40-200 N·m
- Length Inches: 19
- Swing Arc: 4.5°
- Gear Teeth: 80

 **4300:-**

**26Q1-TECH2FR100** //

3/8" DRIVE TECHWRENCH® FLEX-HEAD TORQUE WRENCH (5-100 FT-LB)

- Torque Range, ft-lb: 5-100
- Length, inches: 17-1/4
- Swing Arc: 4.5°
- Gear Teeth: 80
- Batteries: 3 x AA

 **5195:-**



**26Q1-ATECH2F125VA5** //

105 YEAR ANNIVERSARY 3/8" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (5-125 FT-LB)

- Torque Range, ft-lb: 5-125
- Length: 17-25/32
- Swing Arc: 4.5°
- Gear Teeth: 80
- Batteries: 3 x AA



 **6150:-**



**26Q1-ATECH3F300VA5** //

105 YEAR ANNIVERSARY 1/2" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (15-300 FT-LB)

- Torque Range, ft-lb: 15-300
- Length: 30
- Swing Arc: 4.5°
- Gear Teeth: 80
- Batteries: 3 x AA

 **6475:-**

**26Q1-SDDX70ACV** //

105 YEAR ANNIVERSARY 7 PC COMBINATION SCREWDRIVER SET

 **1995:-**




**26Q1-SSDMR4BCV** //

105 YEAR ANNIVERSARY 8-3/4" RATCHETING STANDARD SCREWDRIVER

- Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits

 **725:-**





**26Q1-SGDX80BG** /  
**26Q1-SGDX80BO** /  
**26Q1-SGDX80BR** /  
 8 PC INSTINCT® SOFT GRIP COMBINATION  
 SCREWDRIVER SET

- 8 pc Instinct® Soft Grip Combination Screwdriver Set

**5** 1575:-



**26Q1-SGDXW120B** /  
 12 PC INSTINCT® SOFT GRIP COMBINATION  
 SCREWDRIVER SET

- Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits

**5** 2995:-



**26Q1-SGDZ40BR** /  
**26Q1-SGDZ40BO** /  
**26Q1-SGDZ40BG** /  
 4PC POZIDRIV® INSTINCT® HARD GRIP  
 SCREWDRIVER SET

- Includes #1 - #4 in a storage tray

**5** 895:-



**26Q1-SGDX60B** /  
 6 PC COMBINATION INSTINCT® SOFT GRIP  
 SCREWDRIVER SET

- Includes .035, .045 and .050" flat tip and #1, #2 and #3 PHILLIPS® tip in a storage tray

**5** 1495:-

**26Q1-SSDMR4BO** /  
 8-3/4" RATCHETING STANDARD SCREWDRIVER **5** 625:-

- Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits



**26Q1-SGAS102BG** /  
**26Q1-SGAS102BO** /  
 2 PC INSTINCT® SOFT GRIP SHORT  
 RADIATOR PICK SET **5** 595:-

- Removes radiator hose from clamps and fittings in tight engine compartments
- Compact design (2-3/4" exposed blade) provides greater access
- Straight blade points away from handle so hose can be "pushed" off



**26Q1-PPC02FR** **5** 5950:-  
 17 PC PUNCH AND CHISEL SET WITH PRO-  
 FI™ ORGANIZATION

- Includes (6) long pin punches; (6) met pin punches; (2) diamond point chisels; (2) cape chisels and (1) half-round nose cape chisel in a PRO-FI™ organizer(Black on Red)



**26Q1-SDMC8T** /  
 8 PC TORX® SCREWDRIVER BIT SET  
 (BLACK CASE) **5** 295:-

- Set includes (8) TORX® bits (T8-T30) in a black storage case (SDMC8)



**26Q1-PPR708BK**  
 8 PC ROLL PIN PUNCH SET




**5** 1195:-

**26Q1-PPRG80**  
 8 PC ROLL PIN PUNCH GUIDE SET

- For use with Snap-on® Roll Pin Punches PPR2-PPR8 (1/16-1/4")
- Can also be used with Snap-on® Pin Punches PPC103A-PPC108A (3/32-1/4") and long pin punches PPC104LA-PPC108LA (1/8-1/4")

**5** 200:-



**26Q1-PWZ0QA** /  
**26Q1-PWZ0QAO** /  
**26Q1-PWZ0QAG** /

8-5/8" QUICK-ADJUST PLIERS  
 WRENCH

**5** 850:-



**26Q1-PWZ2GA** /  
 17" PLIERS WRENCH

**5** 795:-



**26Q1-609CF** /  
 9" TALON GRIP™ STORK DUCK  
 BILL PLIERS

**5** 625:-




**26Q1-94CF** /  
 5" TALON GRIP™ NEEDLE NOSE PLIERS

**5** 450:-



**26Q1-AWPBX10** /  
**26Q1-AWPBX100** /  
 10" ADJUSTABLE WATER PUMP PLIERS

**5** 695:-



**26Q1-PL344BCF** /  
 3 PC 4" TALON GRIP™ SLIP-JOINT PLIERS SET

**5** 1295:-

- Set contains 44BCF, HJ44BCF and LN44BCF Talon Grip™ Slip-Joint pliers in a storage tray



**26Q1-PL344BCFND**  
 3 PC 4" TALON GRIP™ SLIP-JOINT PLIERS SET (NO DIP)

**5** 1250:-


- Set contains 44BCFND, HJ44BCFND and LN44BCFND Talon Grip™ Slip-Joint pliers in a storage tray



**26Q1-SRPCR105** /  
 5 PC SNAP RING PLIERS SET

- Includes (3) straight tip and (2) angle tip (.030-.070") in a tray in a storage tray

**5** 1325:-



**26Q1-AVSNP01010**  
 AVIATION TIN SNIPS, LEFT CUT  
 (BLUE-POINT®)

**5** 250:-



**26Q1-AVSNP01020**  
 AVIATION TIN SNIPS, RIGHT CUT  
 (BLUE-POINT®)

**5** 250:-



**26Q1-PLP300A** /  
**26Q1-PLP300AO** /  
**26Q1-PLP300AG** /  
 3 PC PRECISION PLIERS SET

**5** 1725:-

- Set includes (1) P87150A Cutting Pliers, (1) P92055A 4-1/2" Snipe Nose Pliers and (1) P91045A 5-1/2" Needle Nose Pliers



**5** 1725:-

**26Q1-OEXM705**

5 PC 12-POINT METRIC FLANK DRIVE® COMBINATION WRENCH SET (20-24 MM)

 **2895:-**

**26Q1-BBW1270**

3 PC BRAKE BLEEDER WRENCH SET

- Varied geometry of BBW1271, BBW1272 and BBW1273 Brake Bleeder Wrenches provides easy access to most 11 mm brake bleeder screws on all vehicle makes and models

 **1525:-**

**26Q1-OEXSM714K**

14 PC 12-POINT METRIC FLANK DRIVE® SHORT COMBINATION WRENCH SET (6-19 MM)

 **4475:-**

**26Q1-OEXM706**

6 PC 12-POINT METRIC FLANK DRIVE® COMBINATION WRENCH SET (25-30 MM)

 **5100:-**

**26Q1-OEXM710B**

10 PC 12-POINT METRIC FLANK DRIVE® COMBINATION WRENCH SET (10-19 MM)

 **3425:-**

**26Q1-OXKRM705**

5 PC 12-POINT METRIC FLANK DRIVE® 0° OFFSET SHORT RATCHETING COMBINATION WRENCH SET (15-19 MM)

 **2275:-**

**26Q1-BXORM706**

6 PC 12-POINT METRIC 25° OFFSET REVERSIBLE RATCHETING BOX WRENCH SET (8-19 MM) (BLUE-POINT®)

 **2650:-**

**26Q1-SOXRMO2FBRA**

6 PC 12-POINT METRIC FLANK DRIVE® PLUS 0° OFFSET NON-REVERSING RATCHETING COMBINATION WRENCH SET WITH PRO-FI™ ORGANIZATION (17-24 MM) (BLACK ON RED)

 **4995:-**

**26Q1-SOXRMO1FBRA**


11 PC 12-POINT METRIC FLANK DRIVE® PLUS 0° OFFSET NON-REVERSING RATCHETING COMBINATION WRENCH SET WITH PRO-FI™ ORGANIZATION (6-16 MM) (BLACK ON RED)

 **5725:-**

**26Q1-OXIMET01FBR**

14 PC 12-POINT METRIC FLANK DRIVE® MIDGET COMBINATION WRENCH SET WITH PRO-FI™ ORGANIZATION (6-19 MM) (BLACK ON RED)

 **3825:-**



### 26Q1-209TFSMYA

9 PC 3/8" DRIVE METRIC/  
SAE SHALLOW TWIST IMPACT  
SOCKET SET (BLUE-POINT®)

**5** 2200:-

- Includes 10-17 mm and 7/16, 5/8 and 3/4" sockets in a storage tray
- Remove rounded or damaged fasteners with almost any head configuration (hex, round, square and more)



### 26Q1-AWMBPH9

9 PC METRIC L-SHAPED BALL  
HEX WRENCH SET (1.5-10 MM)

**5** 375:-

- Includes 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm and 10 mm wrenches in a plastic index



### 26Q1-AWBPH13

13 PC SAE L-SHAPED BALL HEX  
WRENCH SET (0.05-3/8")

**5** 400:-

- Includes 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8" wrenches in a plastic index



### 26Q1-VWB800D

8 PC CARBIDE BURR SET

**5** 2995:-

- Grinding burrs are ideal for use with Snap-on® die grinders
- 1/4" and 1/8" shank burrs are available, all with solid carbide heads
- 1/8" shank units all have a maximum head diameter of 1/8"
- Generally used for ferrous metals
- Includes 1/4" shank VWB1C, VWB2B, VWB3B, VWB4B, VWB5B, VWB6B, VWB7B and VWB8B in a metal index



### 26Q1-305TTWYA

5 PC 1/2" DRIVE SAE SHALLOW  
TWIST IMPACT SOCKET SET  
(3/4-1") (BLUE-POINT®)

**5** 1975:-

- Includes 3/4-1" sockets in a storage tray
- Remove rounded or damaged fasteners with almost any head configuration (hex, round, square and more)



### 26Q1-112TMMY

12 PC 1/4" DRIVE 6-POINT  
METRIC FLANK DRIVE® SHALLOW  
SOCKET SET (5-15 MM)

**5** 1675:-

- Use to remove damaged PHILLIPS®, TORX®, Pozidriv®, slotted, internal hex, Tri-Wing®, Frearson and most tamper-resistant screws and fasteners
- For use with a variable-speed reversing drill or 1/4" hex bit screwdriver



### 26Q1-YA2019

3 PC SCREW REMOVER SET (BLUE-POINT®)

- Use to remove damaged PHILLIPS®, TORX®, Pozidriv®, slotted, internal hex, Tri-Wing®, Frearson and most tamper-resistant screws and fasteners
- For use with a variable-speed reversing drill or 1/4" hex bit screwdriver

**5** 395:-



### 26Q1-320TSWMB

20 PC 1/2" DRIVE 6-POINT METRIC  
FLANK DRIVE® SHALLOW/DEEP  
SOCKET SET (10-20 MM)

**5** 5325:-



### 26Q1-CJ5153

22 PC METRIC STUD REMOVER AND DOWEL PIN  
PULLER SET

- Includes (14) MET stud collets M6-1.00-M16-2.00, (1) stud collet housing, (6) MET dowel pin collets 6-16 mm and (1) dowel pin collet housing
- Removes threaded studs and dowel pins
- Can be used with CJ250HMRFR slide hammer (not included)

**5** 11995:-

### 26Q1-103TMXKLA

3 PC KNURLED LOCKING EXTENSION  
SET (6-24")

**5** 1450:-

- Includes 6, 11 and 24" knurled locking extensions in a storage tray



### 26Q1-204FXKLA

4 PC 3/8" DRIVE QUICK-  
RELEASE LOCKING KNURLED  
EXTENSION SET

**5** 2125:-

- Includes 3, 6, 11 and 24" quick-release locking knurled extensions in a storage tray



### 26Q1-303SXKL

3 PC 1/2" DRIVE QUICK-RELEASE  
LOCKING EXTENSION SET

**5** 1895:-

- Includes 3, 5 and 10" extensions in a storage tray



### 26Q1-FHLF100

3/8" DRIVE CYNERGY™ SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET

**5** 1750:-

**LIMITED STOCK**



- Head Depth, inches: 15/32
- Head Width: 1-7/32
- Length, inches: 13
- Gear Teeth: 100
- Swing Arc, degrees: 3.6

### 26Q1-FR80

3/8" DRIVE DUAL 80° TECHNOLOGY STANDARD HANDLE QUICK-RELEASE RATCHET

**5** 1095:-



- Head Depth, inches: 9/16
- Head Width: 1-1/4
- Length, inches: 7-7/16
- Gear Teeth: 80
- Swing Arc, degrees: 4.5

### 26Q1-SHLF80A

1/2" DRIVE DUAL 80° TECHNOLOGY SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET

**5** 2175:-



- Head Depth, inches: 3/4
- Head Width: 1-5/8
- Length, inches: 25-5/8
- Gear Teeth: 80
- Swing Arc, degrees: 4.5

### 26Q1-T72

1/4" DRIVE DUAL 80° TECHNOLOGY STANDARD HANDLE RATCHET

**5** 825:-



- Head Depth, inches: 7/16
- Head Width: 15/16
- Length, inches: 4-7/16
- Gear Teeth: 72
- Swing Arc, degrees: 5

### 26Q1-TM72

1/4" DRIVE DUAL 80° TECHNOLOGY MAGNETIC BIT RATCHET

**5** 850:-



- Head Depth, inches: 7/16
- Head Width: 15/16
- Length, inches: 4-7/16
- Gear Teeth: 72
- Swing Arc, degrees: 5

### 26Q1-FKC72

3/8" DRIVE DUAL 80° TECHNOLOGY STUBBY COMPACT HEAD RATCHET

**5** 895:-



- Head Depth, inches: 7/16
- Head Width: 15/16
- Length, inches: 2-1/4
- Gear Teeth: 72
- Swing Arc, degrees: 5

### 26Q1-TMK72

1/4" DRIVE DUAL 80° TECHNOLOGY STUBBY MAGNETIC BIT RATCHET

**5** 895:-



- Head Depth, inches: 7/16
- Head Width: 15/16
- Length, inches: 2-1/4
- Gear Teeth: 72
- Swing Arc, degrees: 5

### 26Q1-230RFSMLE

30 PC 3/8" DRIVE DUAL 80° TECHNOLOGY LOW-PROFILE RATCHET AND FLANK DRIVE® LOW-PROFILE SOCKET MASTER SET

**5** 5125:-



- Includes (29) low-profile sockets (8–19 mm, 1/4–3/4"; E8–E18) and (1) low-profile ratchet
- Special low-profile square drive design works with low-profile sockets to access restricted clearance areas with no loss of strength

### 26Q1-144TMPBFR

44 PC 1/4" DRIVE 6-POINT METRIC/SAE GENERAL SERVICE SET WITH PRO-FI™ ORGANIZATION

**5** 7450:-



- Includes (40) SAE/metric shallow and deep sockets, 2" extension, 6" extension, universal joint and T72 ratchet in a PRO-FI™ Organization fitted storage case
- (10) Shallow Metric (5.5–14 mm); (10) Deep Metric (5.5–14 mm); (10) Shallow SAE (3/16–9/16"); (10) Deep SAE (3/16–9/16")

### 26Q1-TMKF72

1/4" DRIVE DUAL 80° TECHNOLOGY STUBBY MAGNETIC BIT FLEX-HEAD RATCHET

**5** 1050:-



- Head Depth, inches: 7/16
- Head Width: 15/16
- Length, inches: 3-1/4
- Gear Teeth: 72
- Swing Arc, degrees: 5



**26Q1-CTCG8850DB** //  
18 V MONSTERLITHIUM CORDLESS CAULK GUN  
(TOOL ONLY)



- High feed force to easily dispense material, even when cold
- Dispense rates from 2-18 inch/minute allows user to fine tune material dispensing
- Dispenses up to 400 tubes of caulk on a single charge

**5** 3800:-



**26Q1-GRABNGOBLK** //  
GRAB-N-GO CARRIER AND SURFACE PROTECTOR

- 19 x 24" carrier lays flat to keep tools and parts in view, unlike the dark interior of a traditional tool bag
- Carbon fiber vinyl surfaces can take wear and be wiped clean
- Protects car seat or other surface while working
- Raised surface keeps tools and parts from rolling

**5** 750:-

**26Q1-MAGBOWLXL** //  
EXTRA-LARGE MAGNETIC PARTS BOWL

- Holds up to 40 pounds
- Replaceable magnets
- 14" L x 3-1/2" W x 4" H



**5** 595:-

**26Q1-MAGMATXLR** //  
HIGH-POWER MAGNETIC MAT

**LIMITED STOCK**

- Inner foam membrane improves durability and provides structure
- 24" L x 5-1/2" W
- Extra long, with innovative hinge design to fold in half for increased holding power or convenient storage
- Ideal for use on vehicle lifts, tool carts, hutches, lockers and other ferrous surfaces

**5** 1525:-



**26Q1-PK50A**  
3-1/2" STRAIGHT PUTTY KNIFE/  
SCRAPER (BLUE-POINT®)

**5** 150:-



**26Q1-PTR838** //  
3/8" DRIVE LONG-NECK AIR RATCHET

- Long neck ratchet with extra-long reach for those hard-to-reach fasteners
- Balanced lightweight housing for superior comfort and control with less user fatigue
- Manual torque load of 46 ft-lb
- Larger forward/reverse knob makes it easy to switch directions even with greasy hands

**5** 3625:-

**26Q1-PTM30** //  
**26Q1-PTM300** //  
3 PC PICK-UP TOOL SET

**5** 1125:-



**26Q1-UIM225** //  
TELESCOPING INSPECTION MIRROR (BLUE-POINT®)



**5** 195:-

**26Q1-CLR PW75**  
FORMULA 1920™ STEEL WIPES (75 COUNT)

**5** 295:-

- High-quality one-step cleaner removes oils, grease and dirt; lubricates and protects tools from rust
- Will not harm or damage handles or grips
- Convenient, durable pop-up container keeps wipes moist and ready to go no matter the conditions
- Contains (75) 5 x 7" wipes





**26Q1-BJP1-29A**  
HONDA®/ACURA® BALL JOINT ADAPTOR

**5** 625:-



- Used to remove lower ball joints on 2009-2013 Acura® TL®, 2009-2013 Acura® TSX®, 2008-2012 Honda® Accord® and 2010-2013 Honda® Crosstour® vehicles
- Handles removal of lower ball joint

**26Q1-BJP1FORDTC**  
3 PC BJP1 FORD® TRANSIT CONNECT® SET

- Used to service lower ball joints on 2010-2013 Ford® Transit Connect® vehicles

**5** 1900:-



**26Q1-BJP1-BKS**  
4 PC BJP1 SUBARU® BUSHING KIT

- For use with BJP1 for Subaru® lower control arm compliance bushing removal and installation

**5** 1650:-

**26Q1-EEDM503D**  
TRADITIONAL DIGITAL MULTIMETER

- Large 2,000-count LCD display
- Ohm measure functions
- Diode Test function
- DC Amps measure function
- Data-H (Data hold) function
- DC Volts measure function
- AC Volts measure function
- AC Amps measure function
- Separate Fuse/Battery Compartment

**5** 1700:-



**26Q1-BK3100**  
VIDEO INSPECTION SCOPE

- 3-1/2" LCD screen
- 5.5 mm diameter fixed imager
- 16 GB internal memory
- Rechargeable lithium-ion battery
- Screen resolution 800 x 480 with LED backlight
- Mirror and magnet included
- Run time is approximately four hours
- Video capabilities
- Two year warranty

**5** 4250:-



**26Q1-BTCP600**  
BRAKE CALIPER PRESS

**5** 1095:-

- Plates are 2-1/2 x 5-1/2", designed with unique geometry that allows the tool to be used on small and mid-sized vehicles all the way up to medium-duty commercial trucks
- Works on single-, dual-, and quad-piston calipers; has a total spread of 1-3-1/4"

**26Q1-BTCP2SA**  
BRAKE CALIPER PRESS

- Services vehicles with single and twin floating, twin piston fixed and quad piston fixed calipers
- Heavy-duty forged steel operating lever
- Use to press brake caliper pistons for pad replacement
- Ensures parallel piston retraction to prevent damage to piston and seal
- Press plates rotate 180° for efficient operation on both left and right applications

**5** 2125:-



**26Q1-BTG8**  
8 PC BRAKE PAD/SHOE GAUGE SET (BLUE-POINT®)

- Includes eight different testing blades of various colors and thickness: red 2 mm (0.0787"), red 3 mm (0.1181"), yellow 4 mm (0.1575"), yellow 5 mm (0.1969"), yellow 6 mm (0.2362"), green 8 mm (0.3150"), green 10 mm (0.3937") and green 12 mm (0.4724")

**5** 295:-



**26Q1-EETA308D**  
PRECISION LOW AMP PROBE

- Hall effect technology gives accurate, non-intrusive circuit testing
- Performs precision testing of parasitic draw, injectors, pumps, relays and more
- Spring clamp operation can test wires up to 1/2" dia.
- Scale ranges: 20 and 60 A
- Resolution: ± 1 mA
- Internally powered by a 9 V battery

**5** 3350:-



**26Q1-EEDM506D**  
TEMPERATURE ADAPTOR

**5** 1125:-

- Adds temperature capabilities to multimeters that do not have built-in temperature functions
- Provides dual temperature and differential temperature measurements for multimeters
- Output equals 1 mV per degree
- Use with any multimeter with 200 mV DC and/or 2 V DC ranges





**26Q1-KRA4107FPBO** /  
40" SEVEN-DRAWER SINGLE BANK  
HERITAGE SERIES ROLL CAB

- Double slides on top wide drawer for 250 lb capacity
- 125 lb ball bearing slides for smooth drawer operations under load
- 6 x 2" soft monprene casters for better handling over bumps and obstacles
- Round key lock for higher security
- Factory installed aluminum trim for professional appearance
- Powder coated paint finish with scratch resistant paint formula

 **18900:-**

**LIMITED STOCK**



**LIMITED STOCK**

**26Q1-SNP2197**  
RED/BLACK WINTER CAP

- 100% polyester
- Faux-fur lining
- Embroidered

 **395:-**

**Snap-on Tools**

**ILLUMINATE  
YOUR DEALS!**

**Meka Amerikanskt**  
**0704-521000**  
**mekaamerikanskt@gmail.com**

Kampanjen gäller t.o.m. 2026-03-31 med reservation för ev. slutförsäljning. Alla priser exkl. moms.

**Q1 2026**