

*Snap-on Tools*

**SERIOUS TOOLS.**  
**SPRING SAVINGS.**

Q2 2026

LIMITED STOCK

# 60" EPIC WORKBENCHES



**5** 49 995:-

**26Q2-KEWB601A1ZNX**   
60" EPIQ WORKBENCH ARCTIC SILVER/NEON YELLOW TRIM/STAINLESS STEEL TOP

**5** 49 995:-

**26Q2-KEWB601A7BPS**   
60" EPIQ WORKBENCH CANDY RED/BLACK TRIM /BED LINER TOP

**5** 49 995:-

**26Q2-KEWB601A7ZDM**   
60" EPIQ WORKBENCH STORM GREY/TEAL TRIM/BED LINER TOP



**26Q2-BCS70A**   
7 PC DISC BRAKE CALIPER DRIVER SET **1475:-**

- Includes (4) 3/8" drive standard hex bit sockets (1/4, 5/16, 3/8" and 8 mm), (1) 3/8" drive TORX® (T40) standard bit socket and (2) 3/8" drive TORX® (T45 and T50) heavy-duty removal bit sockets



**26Q2-ITC7316A**  
7-PC ALLOY WHEEL SOCKET SET

**5** **1175:-**



**26Q2-LSR1500**  
6 PC STANDARD/TWIST WHEEL FLIP SOCKET SET (BLUE-POINT®)

- Includes (5) sockets 13/16" and 7/8"; 17, 19 mm and 21 mm and (1) 3-1/2" extension in a storage case

**5** **1650:-**



**26Q2-305LSDM**  
5 PC 1/2" DRIVE METRIC INCREASED HEX DEPTH LUG SOCKET SET (17-22 MM)

- Includes 17-22 mm sockets

**5** **1495:-**



**26Q2-203FLSM**  
3 PC 3/8" DRIVE LUG NUT SOCKET SET

- Includes FLSM1719 (17/19 mm), FLSM2122 (21/22 mm) Metric Flip Lug Nut Sockets and an IMX31 Impact Extension

**5** **725:-**

## WHEELWORK TOOLS

**26Q2-A203**  
BALL JOINT/TIE ROD SEPARATOR

- 1-1/4" jaw opening
- 12" L

**5** **895:-**



**26Q2-TR107AO**   
TIRE VALVE TOOL (ORANGE)

- Designed to install and remove standard tire valve cores
- 6-1/4" long

**5** **175:-**



**26Q2-TDG2M**  
METRIC DIAL TREAD DEPTH GAUGE

**5** **295:-**

- Oversized dial allows for much easier reading than stick-type tread depth gauges
- Geared interior movement for increased ruggedness
- Colour-coded dial reads in metric increments





**26Q2-A1310LHSB**  
7 PC STEEL LARGE BEARING AND SEAL DRIVER SET

**4195:-**

- Includes popular sizes 3-43/64, 4-13/16, 4-7/8, 5-1/2, 5-25/32 and 6", plus a heavy-duty striking handle in a convenient storage case with internal size markings

- Exclusive Snap-on® detent attachment system eliminates the hassle of threaded fasteners
- Durable steel disks designed for use on large trucks
- Dual face disks—tapered side for bearings and flat side for seals



**26Q2-WSPROMIG200C**  
200A MIG WELDER

**16 950:-**

- Featuring the latest advancements in inverter technology
- High frequency inverter allows for stable arc conditions and ultimate control on a wide of applications
- PFC technology
- Generator friendly \*generator must have AVR function
- Compliant with Eco Design Regulations with idle power consumption of less than 20W
- Voltage Input: 95Vac - 265Vac 50Hz
- IEff: 13.5A 230Vac / 17.4A 115Vac
- Output: 30A - 200A
- Duty Cycle: 30% @ 200A
- Wire Sizes: 0.6mm - 1.0mm
- Suitable for plate thicknesses of: 0.6mm - 5mm Wire spool
- Wire spool sizes: 5kg - 15kg



# WORKSHOP EQUIPMENT

**26Q2-SNX3-4BP**  
SNX3-4BP - 3 TONNE QUICK LIFT TROLLEY

**3225:-**

- Self-Contained
- Specially designed pump allows the pivot arm to go from lowered position (100mm) to meeting the load in just 4 pumps
- Low Height: 102mm
- Raised Height: 495mm
- Length: 710mm
- Width: 368mm
- Handle Length: 1,282mm



**26Q2-YA427BBLK**  
WELDING GLOVES (BLUE-POINT®) (BLACK)

- Help protect hands from sparks when welding
- Leather construction with added insulation for heat protection
- Reinforced palm for durability

**295:-**

**26Q2-BLPOFWCS**  
28PC OIL FILTER WRENCH SET (BLUEPOINT)

**1225:-**



**26Q2-OFSKIT**  
4 PC OIL/FUEL FILTER SOCKET SET

**1325:-**

- Removes and installs 24, 27, 35, 36 mm and 1-1/4" oil filters
- Includes (1) A127 and (1) A106 Oil Filter Sockets, (1) S3624 Filter Flip Socket and (1) A129 Cummins® Diesel Fuel Filter Socket in a storage tray



**26Q2-YAKS41G**  
BUTANE GAS SOLDERING IRON KIT (25-75 W) (GREEN)

**1695:-**

**26Q2-YAKS41HV**  
BUTANE GAS SOLDERING IRON KIT (25-75 W) (HI-VI)

**1695:-**

**26Q2-YAKS41O**  
BUTANE GAS SOLDERING IRON KIT (25-75 W) (ORANGE)

**1695:-**

- Includes attachments for soldering and hot air
- Fuel adjustment knob, conveniently located in the back of handle, for quick temperature adjustment
- Quick-release connector allows for fast changing of accessory tips without waiting for the tip to cool



- Magnetic stand is integrated into the bottom of tool and allows for vertical storage on side of the toolbox
- Fuel gauge window on both sides of the handle
- Soldering tips are iron and nickel plated with ceramic-coated metal catalyst and finished with a solder dip

# EV ESSENTIALS & MORE...

## 26Q2-2004BSKA 4 PC BATTERY SERVICE KIT

**875:-**

- Includes (1) angle-nose pliers, (1) side battery terminal cleaner, (1) terminal brush and (1) GM® 5/16" battery terminal ratcheting wrench in a kit bag



## 26Q2-EEDM504B3

50" TEST LEAD SET WITH ALLIGATOR CLIPS

- Screw-on probe protectors limit the metal probe shaft from touching during testing for safety

**325:-**



## 26Q2-EECT30H

6/12 V CLASSIC BULB CIRCUIT TESTER

- 6' straight rubber cord; 3-5/8" stainless steel shank
- Incandescent bulb brightness adjusts proportionately to the circuit voltage

**525:-**



## 26Q2-RTEMP8

MULTI-LASER INFRARED THERMOMETER

**1775:-**

- Applications:**
  - Pinpointing radiator core restrictions
  - Checking exhaust and emission control problems
  - Measuring catalytic converter temperatures
  - Diagnosing exhaust manifolds for combustion problems
  - Measuring tire temperatures
  - Measuring race track temperatures
  - Measuring bearing, rotor, drum, or brake temperatures for potential problems
- Easy-to-read color screen
- Modes include E, MAX, MIN, DIF, AVG, HAL and LAL
- Distance to spot ratio: 12:1
- Temperature range: -76-1,400 °F (-60-760 °C)
- Operating range: 32-122 °F (0-50 °C)
- Battery: (2) AAA (min 7 hours / max 30 hours)
- Accuracy: ±1.8 °F (±1 °C)



## 26Q2-EECT33RHD

CLASSIC RED BULB CIRCUIT TESTER

- Red incandescent bulb adjusts to the circuit voltage
- Six-foot coiled 18-gauge cord has 3-5/8" stainless steel shank

**725:-**



## 26Q2-EECT3HL

6/12 V CLASSIC BULB-STYLE CIRCUIT TESTER

- 6' straight rubber cord; 3-5/8" stainless shank

**525:-**



## 26Q2-BPEDP

ELECTRICAL DISCONNECT PLIER (BLUEPOINT)

**395:-**



# LIGHTING & CHARGING

## 26Q2-CTLED9050

18 V 800 LUMEN WORK LIGHT (TOOL ONLY) (RED)

- High output; 800 lm
- Dual reflector system easily changes from flood to beam
- 120° rotating head
- 50,000-hour bulb life
- 11-hour run time



## 26Q2-ECHDE052U

500 LUMEN SLIM HEADLAMP

- Super slim & rechargeable 500 lm flood beam
- IP54 water and dust resistant

**725:-**



## 26Q2-CTCEU131A

14.4V-18V DUAL CHARGER - EU

**1 095:-**



### 26Q2-103TMLPA

3 PC LOCKING POWER ADAPTOR SET (2-6")

 895:-



### 26Q2-RIPLMS19C

1/2" DRIVE 6-POINT METRIC 19 MM LONG-REACH LOW-PROFILE SWIVEL IMPACT SOCKET

 775:-



## 1/4"



**LIMITED STOCK**

### 26Q2-ATECH1FS300DT

1/4" DRIVE FLEX-HEAD TECHANGLE® MICRO TORQUE WRENCH (15-300 IN-LB / 1.25 - 25 FT-LB) (DARK TITANIUM)

 6125:-

### 26Q2-ATECH1FS300H

1/4" DRIVE FLEX-HEAD TECHANGLE® MICRO TORQUE WRENCH (15-300 IN-LB / 1.25 - 25 FT-LB) (HI-VIZ)

 6125:-

### 26Q2-112STMMY

12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® DEEP SOCKET SET (5-15 MM)

 1995:-



## 3/8"



**LIMITED STOCK**

### 26Q2-ATECH2F125VO

3/8" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (5-125 FT-LB / 60-1,500 IN-LB) (ORANGE/BLACK)

 6495:-

### 26Q2-ATECH2F125GB

3/8" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (5-125 FT-LB / 60-1,500 IN-LB) (GREEN)

 6775:-



### 26Q2-206EFABLM

6 PC 3/8" DRIVE METRIC LONG BALL HEX BIT SOCKET SET (4-10 MM)

 1475:-



## 1/2"

### 26Q2-ATECH3FR250B

1/2" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (12.5-250 FT-LB / 150-3000 IN-LB) (BLACK)

 6875:-



### 26Q2-PH3045A

HEAVY-DUTY SHORT BARREL AIR HAMMER (3,500 BPM) (RED)

 4850:-

- 3,500 BPM with hardened steel piston, delivering harder blows for maximum impact
- Dual elastomer cushions absorb shock and vibration, reducing user fatigue

### 26Q2-PHGL37KT

EXTRA-LONG PUNCH DRIFT SET (BLUE-POINT®)

 795:-



- Includes PHGL78, PHGL710 and PHGL712 Extra-Long Drift Punches (3 pc) in a PHGL37-KB Storage Pouch

### 26Q2-PHG1004RPBK

4 PC ROLL PIN PUNCH SET

 2275:-



- PHG821B, PHG79B, PHG81B and PHG80B come in a kit bag

### 26Q2-HPS202

RIVET TOOL (BLUE-POINT®)

 525:-



- Head swivels 360° to rivet at any angle
- Sets 3/32, 1/8, 5/32" and 3/16" rivets in metal, leather, canvas and vinyl
- Four interchangeable nosepieces store in handle when not in use



# RATCHETS



## 26Q2-FKF100

3/8" DRIVE CYNERGY™ STUBBY HANDLE FLEX-HEAD RATCHET

 **1450:-**

- 100-tooth gear with 3.6 degrees of swing arc makes it easy to work in tight spaces



## 26Q2-FC72

3/8" DRIVE DUAL 80° TECHNOLOGY COMPACT HEAD RATCHET

 **825:-**

- 72-tooth gear with 5 degrees of swing arc



## 26Q2-FLF100

3/8" DRIVE CYNERGY™ LONG HANDLE FLEX-HEAD RATCHET

 **1650:-**

- 100-tooth gear with 3.6 degrees of swing arc makes it easy to work in tight spaces



## 26Q2-S80A

1/2" DRIVE DUAL 80° TECHNOLOGY STANDARD HANDLE RATCHET

 **1475:-**

- 80-tooth gear with 4.5 degrees of swing arc



## 26Q2-TL72

1/4" DRIVE DUAL 80° TECHNOLOGY LONG HANDLE RATCHET

 **895:-**

- 72-tooth gear with 5 degrees of swing arc



## 26Q2-FHL100

3/8" DRIVE CYNERGY™ LONG HANDLE SOFT GRIP RATCHET

 **1 550:-**

- 100-tooth gear with 3.6 degrees of swing arc makes it easy to work in tight spaces



## 26Q2-FHLL100

3/8" DRIVE CYNERGY™ EXTRA LONG HANDLE SOFT GRIP RATCHET

 **1825:-**

- 100-tooth gear with 3.6 degrees of swing arc makes it easy to work in tight spaces



## 26Q2-FHLL80

3/8" DRIVE DUAL 80° TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE RATCHET (RED)

 **1475:-**

- 100-tooth gear with 3.6 degrees of swing arc makes it easy to work in tight spaces



## 26Q2-FHLLF100

3/8" DRIVE CYNERGY™ EXTRA LONG HANDLE FLEX-HEAD SOFT GRIP RATCHET

 **1995:-**

- 100-tooth gear with 3.6 degrees of swing arc makes it easy to work in tight spaces



**26Q2-ADHW6AG**  
6" WIDE MOUTH ADJUSTABLE WRENCH (GREEN)

**5** 650:-

**26Q2-ADHW6A**  
6" WIDE MOUTH ADJUSTABLE WRENCH (RED)

**5** 625:-

**26Q2-ADHWS6**  
6" SLIM-JAW WIDE-MOUTH ADJUSTABLE WRENCH (RED)

**5** 675:-

- Up to 60% thinner jaws, than standard wrenches of the same size, give greater access in tight spaces
- Jaws open wider than standard adjustable wrenches



**26Q2-DBT7**  
7 PC TORX® DOUBLE BALL L-SHAPED KEY SET (BLACK)

**5** 595:-

- Set includes size T10-T40
- 100° angle bend allows for access to fasteners a 90° stubby key cannot reach



**26Q2-CW15A**  
19" CHAIN 15" HANDLE CHAIN WRENCH (BLUE-POINT®)

- Chain wrenches have a notched lever whose teeth engage the pipe and a short adjustable chain that loops around it.



**5** 625:-

**26Q2-BLPSTWR4A**  
4" STRAP WRENCH (BLUE-POINT®)

- 4" max diameter
- Adjusts to fit any circumference or irregular shape
- Will not scratch or damage surfaces
- Wrench strap is 1/2" (13 mm) wide



**5** 175:-

**26Q2-BLPADJ404**  
4 PC ADJUSTABLE WRENCH SET (6-12") (BLUE-POINT®)

**5** 695:-

- Includes storage tray



**26Q2-BLPADJ404SG**  
4 PC SOFT GRIP ADJUSTABLE WRENCH SET (6-12") (BLUE-POINT®)

**5** 950:-

- Includes storage tray



# WRENCHES

**26Q2-SVSM807A**  
7 PC METRIC 30°/60° FLANK DRIVE® PLUS FOUR-WAY ANGLE OPEN-END WRENCH SET (10-15 AND 17 MM)

**5** 2995:-

- Includes storage tray
- Heads are offset at 30° and 60° to the wrench handle



**26Q2-BLPCWSM712B**  
12 PC 12-POINT METRIC COMBINATION WRENCH SET (8-19 MM) (BLUE-POINT®)

**5** 1725:-

- Includes storage tray
- 15° offset box end for increased knuckle clearance and greater access in tight spaces



**26Q2-BLPADJ404**  
4 PC ADJUSTABLE WRENCH SET (6-12") (BLUE-POINT®)

**5** 695:-

- Includes storage tray



**26Q2-BLPADJ404SG**  
4 PC SOFT GRIP ADJUSTABLE WRENCH SET (6-12") (BLUE-POINT®)

**5** 950:-

- Includes storage tray



**26Q2-BOERM704**  
4 PC 12-POINT METRIC 15° OFFSET RATCHETING COMBINATION WRENCH SET (21-25) (BLUE-POINT®)

- Includes storage tray
- 15° offset box head provides extra knuckle clearance
- Ratcheting box is reversible

**5** 1775:-



# PLIERS & CUTTERS



**26Q2-PWZ1A**  **725:-**  
12-5/8" PLIERS WRENCH (RED)

**26Q2-PWZ2A**  **775:-**  
17" PLIERS WRENCH (RED)

**26Q2-PWZ20A**  **775:-**  
17" PLIERS WRENCH (ORANGE)

**26Q2-PWZ3A**  **1450:-**  
21-1/2" PLIERS WRENCH (RED)

- Special applications on tie rods and areas where accessibility is an issue

**26Q2-57CF**  **695:-**  
7" HEAVY-DUTY TALON GRIP™ COMBINATION PLIERS (RED)



**26Q2-59CF**  **750:-**  
9" HEAVY-DUTY TALON GRIP™ COMBINATION PLIERS (RED)



**26Q2-PL400BG**  
4 PC PLIERS/CUTTERS SET (GREEN)

 **1675:-**

**26Q2-PL400BO**  
4 PC PLIERS/CUTTERS SET (ORANGE)

 **1675:-**

- Includes (4) pliers/cutters (87ACF, 96ACF, 47ACF and 91ACP)

**26Q2-PL600ES1RK**  **2550:-**  
6 PC ESSENTIAL PLIERS/CUTTERS SET (RED)

 **2550:-**



**26Q2-PL346ACF**  **1575:-**  
3 PC 6" TALON GRIP™ SLIP-JOINT PLIERS SET (RED)

 **1575:-**

- Set contains 46ACF, HJ46ACF and LN46ACF Talon Grip™ Slip-Joint pliers in a storage tray



**26Q2-HCP3KT**  **595:-**  
3 PC HOSE PINCHING PLIERS SET (BLUE-POINT®) (ORANGE)

 **595:-**



- Includes 6, 7" and 10" hose pinching pliers in a storage pouch

**LIMITED STOCK**

**26Q2-PRH57A**  
CONVERTIBLE RETAINING RING PLIERS (BLUE-POINT®)

 **495:-**

- Includes (1 ea): (0°) .036", .047", .070", (90°) .036", .047" and hex wrench for tip changes



# HOSE CLAMP PLIERS

**26Q2-HCP1145** ■  
9° UNIVERSAL 45° RATCHETING OFFSET  
HOSE CLAMP PLIERS (RED)

**725:-**

- Unique jaw design means one tool can be used on spring- and band-style hose clamps
- Clamps are held on center vertically and horizontally for better leverage when applying force
- 45° offset allows for increased accessibility
- Ratcheting mechanism allows the clamp to be held closed while working on it
- One-handed ratcheting mechanism has eight positions and two teeth in engagement



# PICKS & PUNCHES



**26Q2-SGLASA604BG** ■  
4 PC INSTINCT® HEAVY-DUTY PICK SET (GREEN)

**675:-**

**26Q2-SGLASA604BR** ■  
4 PC INSTINCT® HEAVY-DUTY PICK SET (RED)

**675:-**



**26Q2-SGMINI16FO** ■  
16 PC INSTINCT® SOFT GRIP MINI-TIP  
COMBINATION SCREWDRIVER, TORX®, PICKS  
AND SEAL REMOVERS SET WITH PRO-FI™  
ORGANIZATION (ORANGE)

**2595:-**



- Includes (2) 1/8 and 3/16", (2) #0 and #1 PHILLIPS® and (4) T8, T10, T15 and T20 TORX® drivers, plus (4) hook, 90°, 45° and awl picks, and (4) long and short spoon and long and short contoured seal removers in a PRO-FI™ organizer



**26Q2-PPCSGL714** ■  
14 PC SOFT GRIP LONG PUNCH AND CHISEL SET  
(RED)

**3775:-**

- Includes (4) flat edge chisels, (5) pin punches, (4) starter punches and (1) center punch in a storage tray

# CHISELS & PRYBARS



**26Q2-PPC50AK**  
5 PC FLAT CHISEL SET

**1850:-**

- 5 pc in KB2173 kit bag

**26Q2-MPBS1140AO** ■  
40° BRAKE TOOL PRYBAR (ORANGE)

- Strong 3/8" square alloy steel bar with straight tip
- 11" total length with 40° offset ensures access into tight wheel wells



**395:-**



**26Q2-PPN300**  
3 PC PRYING/SMOOTHING TOOL SET

**175:-**

- Includes PPN1030, PPN2040 and PPN4050 in vinyl carrying case

**LIMITED STOCK**

# HAMMERS

## 26Q2-HBBT24

24-OUNCE BRONZE TIP HAMMER

 895:-

## 26Q2-HBBT32

32-OUNCE BRONZE TIP HAMMER

 1095:-



- Bronze-tipped nonmarring hammer ideally suited for work on bushings, gears and transmission
- Microcellular grip
- Bronze faces are soft enough to "give" when contact is made with metal parts
- Applications: bearings and race install, pinion and half shafts, distributor rebuilds, alternator and starter rebuilds, seal installation, body moldings and non-spark applications

## 26Q2-CJ270HMRFR

HEAVY-DUTY GENERAL PURPOSE 3-3/4 LB SLIDE HAMMER SET WITH PRO-FI™ ORGANIZATION (BLACK ON RED)

 2650:-



- 3.8 lb slide hammer provides maximum transfer force on the part to be removed
- PRO-FI™ Organization: • Modular design provides in-drawer reconfiguration for new tools
- Each tool is precision fitted providing ultimate tool protection
- Contrasting colors make it easy to spot missing tools



# SCREWDRIVERS & BITS

## 26Q2-SSDMR4BR

8-3/4" RATCHETING STANDARD SCREWDRIVER (RED)

- Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits



 625:-

## 26Q2-SDDD22

INTERCHANGEABLE SHANK SCREWDRIVER S2/P2 (BLACK)

- Includes reversible PHILLIPS® ACR #2 and S2 slotted shank



 495:-

## 26Q2-SSDMR1AR

4-5/16" RATCHETING MAGNETIC STUBBY SCREWDRIVER (RED)

 725:-

## 26Q2-SSDMR1AO

4-5/16" RATCHETING MAGNETIC STUBBY SCREWDRIVER (ORANGE)

 575:-

- Includes (1) SDM222IRB #2 PHILLIPS® ACR® bit



## 26Q2-SHDX80R

8 PC INSTINCT® HARD GRIP COMBINATION SCREWDRIVER SET (RED)

 1575:-

- (5) Flat tip, plus (3) PHILLIPS® tip drivers in a storage tray



## 26Q2-DBDDS20

20 PC DRILL AND DRIVER SET (BLUE-POINT®)

 595:-



- Magnetic bit holder for strong driver bit and screw retention
- Includes six titanium coated drill bits—(2) 1/16", (1) 3/32", (2) 1/8" and (1) 3/16"
- Set includes (13) 1" assorted driver bits and a 3" magnetic bit holder

# ACCESSORIES



**26Q2-PTM18** ■  
18 LB TELESCOPING MAGNETIC PICK-UP TOOL WITH INSTINCT® HANDLE (RED)

**5** 350:-

- Powerful 18 lb magnet retrieves parts from hard-to-reach places
- Increased tube diameter provides increased strength and extends from 9.3–28"

**26Q2-SOSGBTBLK** ■  
BLUETOOTH® SAFETY GLASSES (BLACK)




**5** 2695:-



**26Q2-MAGMATXL** ■  
HIGH-POWER MAGNETIC MAT (BLACK)

**5** 1595:-



**26Q2-MAGMATXLHV** ■  
HIGH-POWER MAGNETIC MAT (HI-VIS)

**5** 1625:-



**26Q2-MAGMATXLG** ■  
HIGH-POWER MAGNETIC MAT (GREEN)

**5** 1625:-

# MERCHANDISE

**26Q2-SSX25P10UK**  
SNAP ON - ROLLTOP BACKPACK

**5** 695:-



**26Q2-SSX26P114**  
SO SUPERIORITY COMES STD CLOCK

**5** 1325:-



**26Q2-SSX24P135**  
4PK CUSTOM GLASSWARE

**5** 550:-



**S** 69 000:-

**26Q2-KRA1423WIS7**

73" 15-DRAWER CRANBERRY ROLL CAB WITH TITANIUM TRIM AND AND BEDLINER TOP

**LIMITED  
STOCK**

**SNAP-ON BERRY RED TOOLBOX!**



**SERIOUS TOOLS.**  
**SPRING SAVINGS.**

Meka Amerikanskt  
0704-521000  
mekaamerikanskt@gmail.com

Kampanjen gäller t.o.m. 2026-06-30 med reservation  
för ev. slutförsäljning. Alla priser exkl. moms.

**Q2 2026**