

Snap-on Tools

STAY ON TRACK

TREAD INTO BETTER DEALS THIS SEASON

Q4 PROMOTION



25Q4-BK5700
5.5 MM VIDEO SCOPE

 **9675:-**

- 4.3" Capacitive touchscreen
- 5.5 mm dual-view imager
- 1280 x 720 resolution
- Durable kickstand
- 16 GB SD memory
- Charges in approximately 2.5 hours
- Includes four interchangeable power source adaptors, USB-C to USB-A power cord and nylon storage bag
- 2 year warranty

BORESCOPIES

MAKE THE INVISIBLE - VISIBLE.

25Q4-BK7000COMBO
HIGH-DEFINITION BORESCOPE WITH 5.5 MM
DUAL IMAGER WITH HANDLE

 **19900:-**

- Includes BK7000 High-Definition Borescope with 5.5 mm Dual Imager and BK7000HDLE Handle Assembly
- 5.5 mm diameter dual view imager
- True high-definition camera (1,080 x 720)
- 5" high-resolution capacitive touch screen
- Picture-in-Picture: View the front and side cameras at the same time
- Handle pairs with the BK7000 High-Definition Borescope via Wi-Fi®
- Freedom of movement in tight spaces

25Q4-BK7000
HIGH-DEFINITION BORESCOPE WITH 5.5 MM
DUAL IMAGER

 **15900:-**

- End-to-end true high definition provides the best image quality on the market
- Innovative Picture-in-Picture allows technician to capture forward and side camera images simultaneously
- Large 5" high-resolution screen provides best-in-class viewing
- Capacitive touchscreen interface for a more familiar user experience
- True high definition (1,280 x 720) 5.5 mm dual-view imager for capturing finer details
- Ability to capture images and video, add text or audio annotation
- Powerful quadcore processor powers high-resolution video
- Wi-Fi® connectivity provides seamless software updates
- Quick USB-C charging for less downtime
- Supported by 2-year warranty and after sale service

25Q4-BK7000HDLE
BK7000 HANDLE ASSEMBLY

 **5995:-**

- Pairs with the BK7000 High-Definition Borescope via Wi-Fi®
- Freedom of movement in tight spaces
- Remotely operate the BK7000: initiate photo or video, adjust LED brightness, toggle between picture-in-picture, front view and side view
- Internal Li-ion battery and charging cord included
- IP54 rated

25Q4-BK7000-38SV
HIGH DEFINITION SIDE VIEW IMAGER
(3.8 MM DIAMETER)

 **5875:-**

- 3.8 mm diameter side facing imager
- Designed specifically for inspections through a diesel glow plug port
- Illumination pattern and high definition resolution provide optimal quality
- Permanently affixed mirror makes this imager ideal for inspecting the cylinder walls, valve profile and valve seat
- Works with the BK7000 High Definition Borescope





25Q4-FBBA325
25 PC OFFSET 45° FEELER
GAUGE BLADE SET (RED)

375:-


- Gauge blade holder fits comfortably in hand
- Gauge blade holder allows for better control and increases accuracy when measuring
- Blades are protected by gauge blade holder when not in use
- Blade size is 3" L x 1/2" W
- Marked in SAE and metric thicknesses



25Q4-FBSM325
25 PC STRAIGHT METRIC
FEELER GAUGE BLADE SET
(RED)

325:-

- Gauge blade holder fits comfortably in hand
- Gauge blade holder allows for better control and increases accuracy when measuring
- Blades are protected by gauge blade holder when not in use
- Blade size is 3" L x 1/2" W



25Q4-MAGDISH10
10" COLLAPSIBLE MAGNETIC DISH

350:-

- 10" magnetic dish is ideal for storing loose tools, parts, hardware and fasteners
- Can be expanded to maximize storage or collapsed when not in use
- Strong neodymium magnets
- Soft silicone material will not scratch painted surfaces
- Easy to wipe clean
- Soft silicone material will not scratch surfaces



25Q4-WINS100R
WIRE INSERTION TOOL SET (RED)

695:-


- Prevents damage to electrical sheathing
- Helps the technician feed or pull wire around a number of obstacles, or against pieces of metal
- Provides flexibility/adaptability; set allows technician to adapt to each application through the use of different lengths and diameters of tubes
- Ideal for use with Snap-on® videoscopes; protects investment by using this tool to direct/protect the expensive fiber optic element during use
- Tubes thread into metal threaded insert within the handle, providing strong connection
- Tube angular orientation prevents the wires from "dead-heading" against an object, and getting stuck or damaged
- Includes storage tray



25Q4-SGD107BO
INSTINCT® TIRE VALVE TOOL (ORANGE)

175:-

- Designed to install and remove standard tire valve cores
- Instinct® handle provides maximum turning power and greater comfort
- 5-7/8" overall length



25Q4-TPGDL2000
DIGITAL TIRE INFLATOR

- Reads tire pressure from 0-200 PSI in 0.1 PSI increments
- ±1% full-scale accuracy for precise inflation
- Three-position trigger allows the user to quickly read, inflate and bleed off tire pressure with one hand
- Rubber boot prevents damage when dropped
- Includes dual-foot and clip-on chucks
- Includes two AAA batteries and certificate of calibration
- Field repairable

2350:-

25Q4-WINS24FS
24" WIRE INSERTION FLEXIBLE SHAFT

- Flexible shafts allow the user to install/remove wires around obstacles
- Prevents damage to delicate wire sheathing
- Ideal for motorcycle wiring (tubes and handlebars)

395:-




HANDLE NOT INCLUDED

25Q4-BJP1OPT 5 PC BALL JOINT ADAPTOR SET



- Special application set to remove and install upper and lower ball joints
- Set must be used with the BJP1 Master Ball Joint/Universal Joint Press Set
- Includes BJP1-22A, BJP1-24A, BJP1-25A, BJP1-26A and BJP1-27A Ball Joint Adaptors in a storage tray


2650:-



25Q4-UHS1500 3/4-TON UNDERHOIST UTILITY STAND

- Release mechanism quickly places saddle at service height
- Foot pedal is ideal for aligning components to keep hands free
- Precise height adjustment is accomplished with hand crank
- Saddle is configured to adapt to various under car components and resists turning
- Foot pedal can be folded for compact storage
- Ideal for exhaust work, suspension work and other jobs when the vehicle is at maximum lift height
- Height range 57-3/8 - 78"

3595:-



25Q4-EECT424HD 24 V DIGITAL DISPLAY CIRCUIT TESTER (4-49 V DC RANGE)

1150:-



- Used to detect voltage, power, ground and circuit integrity on cars and trucks
- LCD display provides a "no guess" voltage value of the circuit
- LEDs indicate green for ground or red for power
- Surge-protected circuitry displays 4-49.9 V DC (± 0.3 V accuracy)
- Computer safe <10 mA circuit draw for confident testing
- 3-1/2" corrosion-free stainless steel shank
- Patented Instinct® clear handle for visibility, comfort and style
- Solid-copper clip provides superior quality component for maximum electrical signal transfer
- Superior flex wire glides past components and remains flexible in cold conditions
- Convenient field-replaceable digital display board and spring assembly

25Q4-TPMB25EMHV 25' SAE/METRIC TAPE MEASURE (8 METERS) (HI-VIZ)

- Pocketable design fits in tight areas underhood, under dash and under car
- Magnet on side for attaching to tool storage or other metal surface
- Automatic locking brake mechanism with positive release button
- Tang is designed for automotive applications and not oversized

375:-



25Q4-TPM16EM 16' SAE/METRIC TAPE MEASURE (5 METERS)

- Pocketable design fits in tight areas underhood, under dash and under car
- Magnet on side for attaching to tool storage or other metal surface
- Automatic locking brake mechanism with positive release button
- Tang is designed for automotive applications and not oversized

325:-



25Q4-ATHUBSCRUBKIT HUB SCRUB KIT (BLUE-POINT®)

2195:-

- Quickly and effectively removes rust and debris from hub surfaces
- 1/2" drive allows for use with an impact gun—simply attach like any standard impact socket
- High-quality tool sculpted from aircraft-grade aluminum
- The majority of hub cleaning tool products on the market require use with an air or cordless drill
- Enhances shop productivity by not having to change from an impact to a drill and back to an impact
- Improves wheel assembly with better torquing against a clean surface and improving balance by removing rust, dirt and other foreign materials from the lug threads, hub surface
- Includes ATHUBSCRUB, ATHUBSCRUBLG, ATHUBSCRBPADS (1 pk/3 pc), ATHUBSCRUBSMPADS (1 pk/3 pc), ATHUBSCRUBLGPADS (1 pk/3 pc) in a storage tray

25Q4-ECPRE042U ■
400 LUMEN POCKET LIGHT (RED)

- 400 lm high; 40 lm low
- Slim and compact with large pocket clip
- Magnets on clip allow for hands-free use
- 110° rotation design provides more lighting angles
- 3-hour run time on high
- Rechargeable via bi-directional USB-C connection
- IP65 rated for water and dust resistance

5 495:-



25Q4-YA4610 ■
BLUE SKULLS WELDING HELMET (BLUE)

- 3.86 x 1.73" (98 x 44 mm) viewing area
- Convenient external shade controls and grind lockout mode
- Lens is solar powered with a AAA battery back-up
- Features a striking, cobalt blue skull graphic
- Meets ANSI® Z87.1, CE, CSA® Z94.3 standards

5 2550:-



25Q4-YA4618 ■
AUTO-DARKENING WELDING HELMET WITH GRIND FEATURE AND WIDE-VIEW LENS (ELECTRIC RED)

- Extra-large viewing area: 3.73 x 3.34"
- Grind lockout feature doubles as a face shield and welding helmet
- High-definition welding lens for increased clarity
- Dual adjustable shade modes (#5–8 and #9–13)
- Sensitivity and delay adjustments
- Four wide-angle arc sensors
- Solar and lithium battery powered
- Striking modern helmet graphics

5 4995:-



25Q4-ECARN052U ■
525 LUMEN SLIM ROTATING HANDLAMP (RED)

5 1195:-

- 525 lm flood light with approximately 3-1/2 hours of run time
- 200 lm spotlight with approximately 7-3/4 hours of run time
- Wide lighting angle to work in a variety of different areas
- 180° rotation design provides ease and flexibility of use
- Strong magnets on the back for hands-free use
- Slim, handheld design with powerful spotlight



LIGHTING UP YOUR DEALS

500 LUMEN WIDE ANGLE POCKET LIGHT

25Q4-ECPRF052U ■
25Q4-ECPRF052GU ■
25Q4-ECPRF052OU ■
25Q4-ECPRF052RU ■

5 850:-

- 500 lm
- Full-screen design provides wider lighting
- Compact pocket size
- Adjustable rear clip
- Strong built-in magnet on base of clip for hands-free use
- 2-1/2-hour run time on high
- IP65 rated for water and dust resistance



25Q4-ECPNG032U ■
300 LUMEN ALUMINUM PENLIGHT (BLACK)

- Rechargeable, high-quality 300 lm COB main light, with approximate 2-hour run time
- Pull light head to zoom between focused flashlight and brilliant floodlight
- Extremely bright 200 lm CREE LED spotlight, approximately 3-hour run time
- Adjustable magnetic clip for multiple lighting angles
- Robust aluminum housing design



5 895:-



25Q4-CJM515B

15 PC METRIC STUD REMOVER SET (M6-1.00-M16-2.00)

7775:-

- Includes (14) metric collets M6-1.00-M16-2.00 and (1) stud collet housing
- Removes threaded studs
- Protect the stud threads from marring
- Bright and clean nickel-chrome finish creates a corrosion resistant surface that withstands chemicals and solvents for prolonged tool life
- Manufactured from special alloy steel and treated for optimum strength and durability
- Includes storage case with a PRO-FI™ organizer
- Contrasting colors make it easy to spot missing tools
- Closed cell cross-linked foam for superior performance and durability resists oils, solvents and fuels—easy to clean



25Q4-CDR9050DB

18 V 1/2" DRIVE MONSTERLITHIUM CORDLESS HAMMER DRILL (TOOL ONLY)

- 470 in-lb (53 N·m) of torque output
- Two-speed gearbox—420 and 2,000 RPM
- Keyless 1/2" single-sleeve metal chuck
- Drill, hammer and screw modes with 23 clutch settings
- Brushless motor for longer run time and durability
- Variable-speed trigger for precise tool control
- Super bright 100 lm LED light output
- Includes handle; batteries and charger not included

4495:-

25Q4-EXDL10A

10 PC LEFT HAND COBALT SCREW EXTRACTOR AND DRILL BIT SET

825:-

- Includes (5) left-hand, mechanic's-length cobalt drill bits (19/64, 1/4, 5/32, 5/64 and 7/64") and (5) spiral flute screw extractors (EX1A, EX2A, EX3A, EX4A, EX5A) in a metal index



25Q4-CT825W1

14.4 V 1/4" DRIVE MICROLITHIUM CORDLESS IMPACT WRENCH (RED) (INCLUDES ONE BATTERY)

4495:-

- 100 ft-lb (135 N·m) of bolt breakaway torque and 70 ft-lb (95 N·m) of torque output
- Variable-speed standard-style trigger for precise control
- Tri-beam headlight illuminates the work area
- Built-in brake prevents the tool from throwing fasteners and sockets



- Over current and thermal protection of the motor prevents tool from overheating
- Under voltage protection will not overdraw the battery
- Built-in gauge indicates level of battery charge
- Cushion grip handle provides positive tool control with less user fatigue
- Glass-filled nylon housing for durability
- Brushless motor for longer run time and durability
- 70 minute charge time
- Batteries and charger not included

25Q4-CTRG9050DB

18 V MONSTERLITHIUM RIVET GUN (TOOL ONLY) (RED)

9995:-

- 4,400 lb of pull force for precise accuracy
- LED light illuminates the work area
- Field replaceable long life jaws
- On board nose piece storage
- Produces over 6,000 rivets on a battery charge to get the work done
- Operates with 1/8, 5/32, 3/16 and 1/4" rivets
- Handles aluminum, steel and stainless steel rivets
- 2.4" nose length
- Rivet retention included—holds rivet in any orientation
- Batteries and charger not included



25Q4-AWM140DK

14 PC METRIC L-SHAPED HEX WRENCH SET (2-19 MM)

- Includes 2-10, 12, 14, 17 mm and 19 mm wrenches in a kit bag

1325:-



25Q4-YA4190A
MINI GREASE GUN 3 OZ
CAPACITY (~ 9 CENTILITER)

- Fits all flush-type fittings
- Ideal for all FAR Series air ratchets
- Spring return plunger
- 3 oz capacity (~ 9 Centiliter)

195:-

25Q4-AT116
115° ANGLE MINI AIR DIE
GRINDER (BLUE-POINT®)

- 115° offset head provides a more ergonomic grinding position
- 1/4" collet
- Variable-speed regulator for precision control
- Available optional accessories include AT116-3 ROLOC® Pad (2", 1/4" shaft) and AT116-4 ROLOC® Pad (3", 1/4" shaft)
- Removes gasket material, grinds valve seats, dresses welds and enlarges holes



1595:-

25Q4-AT120L
EXTENDED-LENGTH MINI AIR
DIE GRINDER (BLUE-POINT®)

- 4-1/2" of extended reach for greater accessibility
- Comfort grip reduces fatigue
- Built-in speed regulator matches tool speed to the job
- Safety throttle releases lever to shut off tool
- .22 HP motor with 23,000 RPM free speed



1895:-

25Q4-GLOVE500RLC
TECHNICIAN SUPERCUFF® GLOVE (L)

25Q4-GLOVE500RXLC
TECHNICIAN SUPERCUFF® GLOVE (XL)

350:-



25Q4-AT109DGK
DIE GRINDER KIT (BLUE-POINT®)

- Includes AT109 Mini Angle Die Grinder plus (1) 2" (50.8 mm) ROLOC® pad, (2) 2" (50.8 mm) coarse discs, (2) 2" (50.8 mm) medium discs, (2) 2" (50.8 mm) 24 grit discs, (2) 2" (50.8 mm) 36 grit discs, (2) 2" (50.8 mm) crud discs, (1) 3" (76.2 mm) ROLOC® pad, (2) 3" (76.2 mm) 50 grit discs, (2) 3" (76.2 mm) 120 grit discs, (2) 3" (76.2 mm) crud discs, (1) 1/4" shank adaptor and (2) spanner wrenches in a storage case

2295:-



GENERAL SERVICE SETS

33 PC 3/8" DRIVE METRIC AND SAE GENERAL SERVICE SET WITH PRO-FIT™ ORGANIZATION



25Q4-233FSMBFR **11995:-**

25Q4-233FSMBFDT **10995:-**

- Includes (1) 3/8" drive 80-tooth locking ratchet, (2) extensions 3" and 6", (12) metric semi-deep sockets (8-19 mm), (11) SAE semi-deep sockets (1/4-7/8"), (1) ratcheting soft grip screwdriver with (2) bits, LN47ACF 9" Talon Grip™ long-nose slip-joint pliers, HJ47ACF 8" FlankJaw™ slip-joint pliers, 87ACF 7" VectorEdge diagonal cutter and MPBS10AR 10" straight striking prybar in a PRO-FIT™ organizer with case
- PRO-FIT™ Organization: • Modular design provides in-drawer reconfiguration for new tools
- Each tool is precision fitted providing ultimate tool protection
- Contrasting colors make it easy to spot missing tools
- Closed-cell cross-linked foam is easy to clean and resist oils, solvents and fuels
- Finger-press feature at each end of tool for easy retrieval
- Die cut angle for nesting additional wrench sets
- Designed for maximum tool concentration on smallest possible footprint



25Q4-SHN36
1/2" DRIVE 36" SOFT GRIP
HANDLE BREAKER BAR (RED)

1875:-



25Q4-SN25A
1/2" DRIVE 24" 45° OFFSET
SQUARE BREAKER BAR

1175:-



25Q4-2050
20" PRYBAR

875:-



25Q4-SPBS36AMB
36" STRIKING PRYBAR
(POWER BLUE)


1495:-

25Q4-206AFX

6 PC 3/8" DRIVE KNURLED
EXTENSION SET

1550:-

- Set contains (6) knurled extensions, 1-1/2, 3, 4, 6, 8 and 11" in storage tray



25Q4-303SXWKL
3 PC 1/2" DRIVE LOCKING
WOBBLE EXTENSION SET

1450:-



- Includes 3, 5 and 8" extensions in storage tray

25Q4-304IMX

4 PC 1/2" DRIVE IMPACT
EXTENSION SET(RED)

1650:-

- Includes 3-11-1/4" extensions and a swivel ball lock button impact universal joint in a storage tray



25Q4-PPC100AK

10 PC PUNCH AND CHISEL SET

2995:-

- Includes (1) half round nose cape chisel, (2) cape chisels, (2) diamond point chisels and (5) flat chisels in a kit bag



25Q4-PPCSG710G

10 PC SOFT GRIP PUNCH
AND CHISEL SET



10 PC SOFT GRIP PUNCH
AND CHISEL SET

- Includes (1) center punch, (3) flat chisels, (3) pin punches and (3) starter punches
- Includes storage tray

2295:-



25Q4-PPCS60BK

6 PC STARTER PUNCH SET

1550:-

- 6 pc in KB2185 kit bag



25Q4-SGTT106B

6 PC SOFT GRIP TERMINAL
TOOL SET

795:-

- Includes SGTT1A-SGTT6A (6 pc) in storage tray



25Q4-SGDX40BDT ■
4 PC INSTINCT® SOFT GRIP MINI-TIP
COMBINATION SCREWDRIVER SET

450:-

25Q4-SGDX40BMB ■
4 PC INSTINCT® SOFT GRIP MINI-TIP
COMBINATION SCREWDRIVER SET

625:-

- Includes (2) flat tip, plus (2) PHILLIPS® tip drivers in a storage tray



25Q4-SGDX60BG ■

25Q4-SGDX60BO ■
6 PC COMBINATION INSTINCT®
SOFT GRIP SCREWDRIVER SET

- Includes .035, .045 and .050" flat tip and #1, #2 and #3 PHILLIPS® tip in a storage tray
- Soft Instinct® handles for power, comfort and versatility

1150:-



25Q4-SGDMRC11A ■

RATCHETING SOFT GRIP
STUBBY SCREWDRIVER

25Q4-SGDMRC11AO ■

675:-



RATCHETING SOFT GRIP STUBBY SCREWDRIVER (RED)

25Q4-SGDMRC44B ■

725:-

25Q4-SGDMRC44BMB ■

895:-



25Q4-HDWC8 ■
8" HEAVY-DUTY WIRE
CUTTER (RED)

850:-



25Q4-FLEXTOOLHLDR ■
ADJUSTABLE MAGNETIC TOOL HOLDER

375:-

- Innovative, flexible design—each hook can be independently positioned to support a wide variety of tools
- Embedded magnets mount to toolbox, service cart, vehicle lift or ferrous surface
- Ideal solution for hanging irregularly-shaped or unbalanced tools
- Holds tools from 1-1/2–4" wide
- Rugged ABS and metal construction
- Padded hooks for extra grip and delicate surface protection
- 20-lb holding capacity



25Q4-SGDXW120BH ■

25Q4-SGDXW120BR ■

12 PC INSTINCT® SOFT GRIP
COMBINATION SCREWDRIVER SET

- Set comprised of (4) popular PHILLIPS®, (4) Slotted and (4) Torx® T15, T20, T25 and T30 screwdrivers in Hi-Viz Instinct® handles
- Instinct® handle provides maximum turning power and greater comfort
- Tips are precision cut and vapor blasted for the best possible grip and help prevent chrome plating from peeling




2450:-



25Q4-SGDXXL20BG ■

2 PC EXTRA-LONG SCREWDRIVER SET (GREEN)

825:-



25Q4-SDM11KT

TORX® BALL HEX SET
(BLUE-POINT®)

- 11 pcs Set includes T10 – T50 Ball TORX® Bit, 1/4" Bit Holder, and 1/4" Hex-To-1/4" Square Adaptor in a Storage Case



550:-

25Q4-SDMC8MH

8 PC METRIC HEX SCREWDRIVER
BIT SET (BLACK CASE)

- Set includes (8) Metric Hex Bits 2–10 mm in SDMC8 Black Storage Case

350:-



25Q4-SDMC8P

8 PC COMBINATION SCREWDRIVER
BIT SET (BLACK CASE)

- Set includes (2) flat tip bits (.031" and .038"); (3) PHILLIPS® bits (#1, #2 and #3); (1) limited clearance PHILLIPS® bit #2; (1) Scrulox® bit #2 and (1) 1" adaptor in SDMC8 Black Storage Case

295:-



25Q4-PWZ1QAO
12-5/8" QUICK-ADJUST
PLIERS WRENCH (ORANGE)

5 975:-

- Progressive teeth are induction-hardened and angled inward for a stronger grip
- Gripping capacity of 1-1/2" with max jaw opening of 2-1/4"
- Features an ergonomic, soft grip, high-friction handle surface and strong, stable core



25Q4-PHP2A
14" SWIVEL JAW HOSE CLAMP
PLIERS (BLUE-POINT®)

5 595:-

- 14" overall length—clamps hoses up to 2-1/2" O.D.
- Designed with a self-locking feature that holds after pressure is applied, simply pull the pliers handle apart to release the pressure
- Used to seal vacuum hoses and fuel lines, plus other flexible materials



25Q4-AWPBX10
10" ADJUSTABLE WATER
PUMP PLIERS

5 675:-



25Q4-LN47ACFDT
9" TALON GRIP™ LONG-
NOSE SLIP-JOINT PLIERS

5 595:-



- Three position joint allows the pliers to keep the jaws parallel which increases the surface area contact with the work piece
- Talon Grip™ provides up to 57% increase in pulling power, with a relocated joint, optimized handle shape and diamond-serrated jaws
- Machined, hardened teeth are sharp and strong like file teeth in three different gripping geometries covering an aggressive tooth profile, heavy serrations and fine serrations at the tip
- Precision ground tips for gripping small items
- Precisely machined slot for effortless position switching and control
- Manufactured from special cold-forged steel with a higher alloy content for greater durability and strength
- Shear cutter provides a smoother cut with less hand pressure
- Longer contoured cushion grip handle for increased comfort, control and leverage



25Q4-PL3935CF
25Q4-PL3935CFG

- Talon Grip™ Long Nose Pliers provide up to 57% increase in pulling power (compared to pliers with straight serrated jaws) with a relocated joint, optimized handle shape and diamond-serrated jaws
- 35° bent tip pliers help provide access into restricted clearance areas
- Natural steel finish has a tough and protective clear coating to help protect against corrosion
- These cold forged pliers feature a wide cushion grip for comfort and control

5 1650:-

3 PC TALON GRIP™ 35°
BENT NEEDLE NOSE
PLIERS SET



25Q4-SRP400B
14 PC SNAP RING PLIERS SET

- Includes SRP1C, SRP2B, SRP3B, and SRP5B Snap Ring Pliers in a storage tray

5 1995:-



25Q4-BDGPL300CMP
3 PC LONG-REACH COMPOUND PLIERS
SET (BLUE-POINT®)

- Includes (1) 13" duck-bill pliers, (1) 14" long-nose pliers and (1) 45° bent-needle-nose pliers in a storage tray
- Compound joint allows access with minimal movement
- Jaws open greater distance than the handle for additional reach in tight areas
- Tips ground with milled grooves, allowing user to grip fasteners and other objects tightly



5 1450:-

25Q4-BDGPL300HG
3 PC EXTENDED-REACH HOSE GRIP
PLIERS SET (BLUE-POINT®)

- Grips are double dipped offering increased comfort and control during use
- Pliers extra length provides additional access to otherwise difficult to reach areas
- Corrosion resistant finish
- Leaf springs improve maneuverability
- Includes (1) small, (1) medium and (1) large extended-reach hose grip plier



5 525:-

25Q4-PL347ACF **1425:-**
25Q4-PL347ACFG

3 PC 8" TALON GRIP™ SLIP-JOINT PLIERS SET

- Set contains 47ACF, HJ47ACF and LN47ACF Talon Grip™ Slip-Joint pliers in a storage tray



25Q4-PL400B **1595:-**
4 PC PLIERS/CUTTERS SET

- Includes 47ACF Combination Slip Joint Pliers, 91ACF Adjustable Joint Pliers, 96ACF Needle Nose Pliers and 87ACF Diagonal Cutters
- All Snap-on® pliers and cutters undergo a precision manufacturing process to provide the quality and performance the job demands



25Q4-PL330ACF **1825:-**
25Q4-PL330ACFG
25Q4-PL330ACFO

3 PC HEAVY-DUTY PLIERS SET

- 3 pc set includes 49ACF, 312CF and 911ACF



25Q4-SGASA204CR **460:-**
25Q4-SGASA204CO


4 PC INSTINCT® SOFT GRIP MINIATURE PICK SET

- Set contains SG3ASAC, SG3ASHC, SG3ASH45C and SG3ASH90C in a storage tray



25Q4-SGLASA204CR **525:-**
4 PC INSTINCT® SOFT GRIP LONG PICK SET

- Includes (1) long mini awl, (1) long 45° tip mini pick, (1) long 90° tip mini pick and (1) long mini hook in a storage tray



25Q4-ASA204BR **525:-**
25Q4-ASA204BO

4 PC MINI ACETATE HANDLE PICK SET

- Classic SDD series handles offer unique blend of durability, comfort and easy cleanup
- Contour thumb stop helps user apply maximum pressure
- Special domestic alloy steel results in superior strength and toughness



25Q4-SGAL102BG **1095:-**
25Q4-SGAL102BO
2 PC INSTINCT® EXTRA-LONG RADIATOR HOSE PICK SET

- 26" long tools remove radiator hoses from hard to reach clamps and fittings
- Thin wide blade style significantly reduces the chance of puncturing/damaging hoses
- Bent blade faces back towards handle so the hose can be "pulled" off
- Straight blade pushes away from handle so the hose would be "pushed" off
- Nickel-chrome finished blades
- Instinct® handle provides maximum comfort and grip



6 PC SOFT GRIP HANDLE MINIATURE FILE SET

25Q4-SGFMN106 **795:-**
25Q4-SGFMN106G
25Q4-SGFMN106O

- Includes (6) files in a vinyl storage pouch
- Ergonomic non-slip grip prevents the hand from slipping onto the file blade
- Soft, textured surface for excellent grip
- Excellent protection on the shoulder and tang of the file
- Symmetrical handles provide the same level of comfort on both sides
- Files have a hole for hanging
- Use for filing narrow grooves and passages, concave and flat surfaces, holes and internal corners



25Q4-106RTL

6 PC 1/4" DRIVE LOW-PROFILE INVERTED TORX® SOCKET SET (E4-E10)

825:-

**25Q4-211FDSY**

11 PC 3/8" DRIVE 12-POINT SAE FLANK DRIVE® SEMI-DEEP SOCKET SET (1/4-7/8")

2075:-

**25Q4-313SWYA**

13 PC 1/2" DRIVE 12-POINT SAE FLANK DRIVE® SHALLOW SOCKET SET (3/8-1-1/8")

2725:-

**25Q4-110STMDY**

10 PC 1/4" DRIVE 12-POINT SAE FLANK DRIVE® DEEP SOCKET SET (3/16-9/16")

1875:-

**25Q4-211SFSY**

11 PC 3/8" DRIVE 6-POINT SAE FLANK DRIVE® DEEP SOCKET SET

2475:-

- Includes 1/4, 5/16, 3/8-7/8" sockets in a magnetic storage tray

**25Q4-313TSMYA**

13 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® DEEP SOCKET SET (12-24 MM)

4250:-

**25Q4-110TMDSY**

10 PC 1/4" DRIVE 12-POINT SAE FLANK DRIVE® SEMI-DEEP SOCKET SET (3/16-9/16")

1650:-

**25Q4-214FSY**

14 PC 3/8" DRIVE 6-POINT SAE FLANK DRIVE® SHALLOW SOCKET SET (1/4-1")

2250:-

**25Q4-313TWYA**

13 PC 1/2" DRIVE 6-POINT SAE FLANK DRIVE® SHALLOW SOCKET SET (3/8-1-1/8")

2725:-

**25Q4-111STMMDY**

11 PC 1/4" DRIVE 12-POINT METRIC FLANK DRIVE® DEEP SOCKET SET (5-14 MM)

2150:-

**25Q4-207IMDFMYA**

7 PC 3/8" DRIVE 12-POINT METRIC FLANK DRIVE® SHALLOW IMPACT SOCKET SET

850:-

- Includes 10, 12-15, 17 and 18 mm sockets in a storage tray

**25Q4-307IPLMY**

7 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® SHALLOW IMPACT SWIVEL SOCKET SET (14, 15, 17-21 AND 24 MM)

4275:-

**25Q4-112TMMDSY**

12 PC 1/4" DRIVE METRIC 12-POINT FLANK DRIVE® SEMI-DEEP SOCKET SET (5-15 MM)

1995:-

**25Q4-214SIMDFMYA**

14 PC 3/8" DRIVE 12-POINT METRIC FLANK DRIVE® DEEP IMPACT SOCKET SET (8-19, 21 AND 24 MM)

2650:-

**25Q4-312IMMS**

12 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® SEMI-DEEP IMPACT SOCKET SET (15-27 MM)

2650:-

**25Q4-209EFTXBY**

9 PC COMBINATION DRIVE TORX® BIT HEAVY-DUTY REMOVAL SOCKET SET (1/4" DRIVE TTXB15E-TTXB25E (T15-T25) AND 3/8" DRIVE FTXB27E-FTXB50E (T27-T55))

2395:-

**25Q4-207IPLFM**

7 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® DEEP IMPACT SWIVEL SOCKET SET (10, 12-15, 17 AND 18 MM)

2995:-

**25Q4-208EPIT**

8 PC 3/8" DRIVE IMPACT DRIVER SET

2550:-

- Includes impact driver, 1/4, 5/16 and 3/8" flat tip bit sockets, #2, #3 and #4 PHILLIPS® bit sockets and #2 Pozidriv® bit socket in a storage case





25Q4-FHLX80B

3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP
LONG HANDLE LOCKING FLEX-HEAD RATCHET



1795:-

- Length: 13"
- Swing Arc, degrees: 4.5
- Gear Teeth: 80
- long flex head with soft grip handle



25Q4-FHX80B

3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP
STANDARD HANDLE LOCKING FLEX-HEAD RATCHET



1695:-

- Length: 9-1/2"
- Swing Arc, degrees: 4.5
- Gear Teeth: 80
- standard flex head with soft grip handle



25Q4-FX80B

3/8" DRIVE DUAL 80® TECHNOLOGY STANDARD
HANDLE LOCKING FLEX-HEAD RATCHET



1595:-

- Length: 9-1/2"
- Swing Arc, degrees: 4.5
- Gear Teeth: 80
- Chrome flex head



25Q4-103RT01FR

3 PC 1/4" DRIVE DUAL 80® TECHNOLOGY
RATCHET SET WITH PRO-FI™ ORGANIZATION



3550:-

- Includes Stubby, Standard, Long and Extra-Long ratchets in a PRO-FI™ organizer
- Finger-press feature at each end of tool for easy retrieval
- Fits in a 2" drawer

ATECH WRENCHES

25Q4-ATECH2FR125B

3/8" DRIVE FLEX-HEAD TECHANGLE® TORQUE
WRENCH (5-125 FT-LB)



5450:-

- Torque: 5-125 ft-lb (7-170 N·m)
- Torque accuracy: ±2% CW and ±3% CCW, 20-100% of full scale
- Angle accuracy: ±1% of reading, ±1° at angular velocity >10°/sec <180°/sec
- Angle range: 0-360°
- Length: 17-15/16"
- Swing Arc, degrees: 4.5
- Gear Teeth: 80
- sealed flex head



25Q4-ATECH3FR300B

1/2" DRIVE TECHANGLE® ELECTRONIC
TORQUE WRENCH (15-300 FT-LB)



5450:-

- LARGE LCD SCREEN with bright backlight; numbers become larger and bolder during active torque for optimal viewing
- ADVANCED FEATURES include cycle counter, customizable sleep timer, language selection, auto torque calculation for torque adaptors, calibration alerts, battery level indication, and numerous alert mode customizations, allowing the user to customize the torque wrench to your work preferences
- MULTI-LINGUAL DISPLAY programmable to display commands and signals in English, Spanish, French or German
- POWER INTERRUPTION TECHNOLOGY prevents loss of continuity if dropped; prevents loss of work during head bolt pattern applications
- PROTECTED BATTERY CAP design with solid brass contacts prevents accidental loosening and ensures continuity

- Torque: 15-300 ft-lb (20-407 N·m)
- Torque accuracy: ±2% CW and ±3% CCW, 20-100% of full scale
- Angle accuracy: ±1% of reading, ±1° at angular velocity >10°/sec <180°/sec
- Angle range: 0-360°
- Length: 30"
- Swing Arc, degrees: 4.5
- Gear Teeth: 80
- sealed flex head





25Q4-RXFMS606B

6 PC 6-POINT METRIC FLANK DRIVE® DOUBLE END FLARE NUT WRENCH SET (9–21 MM)



- Includes 9–21 mm wrenches in a storage tray
- Flank Drive® wrenching system grips the fastener flats and provides 15–20% more turning power
- Sized for optimum comfort and balance
- Durable, nickel-chrome plating produces a mirror-like finish that helps protect against corrosion and makes it easy to wipe the wrenches clean



25Q4-SOEXM705

5 PC 12-POINT METRIC FLANK DRIVE® PLUS COMBINATION WRENCH SET (20–24 MM)



- Includes 20–24 mm wrenches in a storage bag
- Manufactured with special alloy steel, precision forged and heat-treated for optimum strength and durability



25Q4-SOEXM710

10 PC 12-POINT METRIC FLANK DRIVE® PLUS COMBINATION WRENCH SET (10–19 MM)



- Includes 10–19 mm wrenches in a storage tray
- Flank Drive® Plus on the open end features a series of flutes or notches that grip a fastener away from its corners
- A continuous arc design distributes stress over the entire wrench opening radius for greater strength



• Forged steel and heat treat hardness provides a superior wrench with the proper strength and durability while reducing wear and breakage



25Q4-SOXR710A

10 PC METRIC FLANK DRIVE® PLUS NON-REVERSIBLE RATCHETING COMBINATION WRENCH SET (10–19 MM)



- Includes 10–19 mm wrenches in a storage tray
- Flank Drive® Plus wrenching profile on open end, “bites” into the fastener, preventing slipping and rounding of fasteners, while providing up to 62% more turning power and strength
 - 80-tooth ratcheting gear mechanism utilizes key elements of Snap-on® Dual 80® Technology, minimizing swing arc when working in restricted spaces



25Q4-VSM807B

7 PC METRIC 30°/60° FOUR-WAY ANGLE OPEN-END WRENCH SET (10–15 AND 17 MM)



- Includes 10–15 mm and 17 mm wrenches in a storage tray
- Angled head of wrenches are the same size on both ends to permit use of one wrench in four different positions



25Q4-BOERM712

12 PC 12-POINT METRIC 15° OFFSET RATCHETING COMBINATION WRENCH SET (8–19 MM) (BLUE-POINT®)



- Includes 8–19 mm in a storage tray
- 15° offset box head provides extra knuckle clearance





25Q4-OEX710

10 PC 12-POINT SAE FLANK DRIVE® COMBINATION WRENCH SET (5/16" AND 3/8-7/8")



3395:-

- Includes 5/16" and 3/8-7/8" wrenches in a storage tray



25Q4-107TMCOM

7 PC 1/4" DRIVE METRIC OPEN-END CROWFOOT WRENCH SET (7-14 MM)

- Includes 7-14 mm wrenches in a storage tray



1350:-



25Q4-AWBSG800A

8 PC SAE T-SHAPED/L-SHAPED COMBINATION BALL HEX WRENCH SET (3/32-1/4")



1050:-



25Q4-AWBSGM800A

8 PC METRIC T-SHAPED/L-SHAPED COMBINATION BALL HEX WRENCH SET (2-10 MM)



1050:-

6 PC HBFE/HBBD DEAD BLOW HAMMER SET

25Q4-HBFEBD106



7750:-

25Q4-HBFEBD106G

25Q4-HBFEBD106O



6725:-

- Set contains three each of most popular HBFE and HBBD hammers to use in a wide range of application and work surfaces
- Internal steel canister with free-flowing shot design delivers maximum dead blow action
- Composite shank extends from the head through handle, delivering a more powerful blow and dampening vibration
- Microcellular soft grip manufactured from a soft, comfortable energy-absorbing material
- Wide flare at end of handle helps prevent hammers from slipping out of user's hand
- Thermoplastic urethane material is non-sparking and resistant to most shop chemicals



Snap-on Tools

STAY ON TRACK

TREAD INTO BETTER DEALS THIS SEASON

IF YOU WOULD LIKE MORE INFORMATION,
PLEASE CONTACT YOUR SNAP-ON
REPRESENTATIVE

Meka Amerikanskt
0704-521000
mekaamerikanskt@gmail.com

Kampanjen gäller t.o.m. 2025-12-31 med reservation för ev. slutförsäljning. Alla priser exkl. moms.

Q4 PROMOTION